

AMVC800603BN

Item Number: AMVC800603BN

Attribute	Value
Brand	Amana
ProductCategory	Unitary
ProductClassPIM	Gas Furnace
System Family	Unitary Split System
Function Category	Heating Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	AMVC80
Series Name	AMVC80
Short Description	Amana 80% AFUE Gas Furnace Variable Speed, Two Stage Convertible
Model Efficiency	0.8
Family Description	ComfortBridge™-Compatible Two-Stage, Variable-Speed ECM Gas Furnace 80% AFUE
Product Benefits	1. Higher reliability and quality;2. Airflow system gently ramps up or down according to heating or cooling demand and provides better comfort;3. Capable of using non communicating single-stage thermostats;4. Operates on single-stage thermostats
Product Features - (Standard)	1. Heavy-duty stainless-steel tubular heat exchanger;2. Efficient and quiet variable-speed Blower;3. Integrated communicating ComfortBridge™ technology;4. Commissioning and diagnostics via on board Bluetooth with the CoolCloud™ phone and tablet application;5. Two-Stage gas valve
Cabinet Features	Fully insulated, heavy-gauge steel cabinet with durable baked-enamel finish;Multi-position installation: AMVC80: upflow, horizontal left or right ACVC80: downflow, horizontal left or right;Removable bottom for side- or bottom-return applications;Convenient left or right connection for gas/electric service;Cabinet air leakage ? 2%;Coil and furnace fit flush for most installations
Installation Type	Ducted
Communication Feature	Yes
Communication Feature Type	ComfortBridge Technology compatible

Attribute	Value
Export Control Classification Number - (ECCN)	EAR99
FER Compliant	Yes
Serialized Flag	Yes
Universal Product Code (UPC)	663051617551
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	4
Country of Origin	USA
US HTS Code	7322.90.0015
Canadian HTS Code	7322.90.00.21
Long Description	Amana 80% AFUE Gas Furnace Variable Speed, Two Stage Convertible, Upflow/Horizontal, 60,000 BTUH/H, Non-NOx
ProductDescriptionPIM	fer uf furnace
AFUE	0.8
AHRIReferenceNumber	204633375
CoolingCapacityNominal	36000 Btu/H
ENERGYSTARCertified	No
InstallationConfiguration	Upflow/Horizontal
Producer	Yes
ProductIDBarcode	AMVC800603BN
TemperatureRiseRangeHigh	15-45 °F
TemperatureRiseRangeLow	15 -45 °F
CurrentType	AC
MaxOvercurrentProtection	15 A
MinCircuitAmps	7.75 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	115 V
AirFlowRateHighHeating	1400 ft³/min

Attribute	Value
AirFlowRateLowHeating	990 ft ³ /min
ANSI	Yes
BlowerAvailableACTonnageHigh	3 Tonnage
BlowerAvailableACTonnageLow	1.5 Tonnage
BlowerMotorRPM	1200 r/min
DimensionsBlowerDiameter	10 in
DimensionsBlowerWidth	8 in
DimensionsUnitDepth	28 in
DimensionsUnitHeight	33.3 in
DimensionsUnitWidth	17-1/2 in
ETLListed	Yes
ExternalStaticPressureRated	0.5
FilterQuantity	1
FilterSizeMin	16X25
HeatExchangerType	Gas
MinimumClearancestoCombustibleMaterials	1 ft
MotorSpeedType	Variable Speed
NOxBurnerType	Non-NOx
NumberOfBurners	3
WeightUnit	105 lb
BlowerMotorHorsePower	1/2 metric hp
HighFireInputCapacity	60000 Btu
HighFireOutputCapacity	48000
LowFireInputCapacity	42000
LowFireOutputCapacity	33600
Tonnage	3
GasValveType	Two Stage Convertible
VentDiameter	4 in

Attribute	Value
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	30.00 in
Dimensions - (Case Height)	35.50 in
Dimensions - (Case Width)	18.50 in
Dimensions - (Distribution Unit Depth)	30 in
Dimensions - (Distribution Unit Height)	35.5 in
Dimensions - (Distribution Unit Width)	18.5 in
Dimensions - (Pallet Depth)	60.00 in
Dimensions - (Pallet Height)	35.50 in
Dimensions - (Pallet Width)	37.00 in
Dimensions - (Shipping Unit Depth)	30.00 in
Dimensions - (Shipping Unit Height)	35.50 in
Dimensions - (Shipping Unit Width)	18.50 in
Distribution Shipping Volume - (Unit)	19702.5 in ³
Shipping Volume - (Unit)	19702.500 in ³
Truck Factor	0
Volume - (Case)	19702.500 in ³
Volume - (Distribution Shipping Unit)	19702.5 in ³
Weight - (Case)	101.000 lb
Weight - (Distribution Shipping Unit)	101 lb
Weight - (Shipping Unit)	101.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS
Registered Parts Warranty - Multi-Family	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 10 YEARS PARTS

Attribute	Value
Registered Parts Warranty - Residential	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 79 YEARS PARTS;HEAT EXCHANGER - 79 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 10 YEARS PARTS;HEAT EXCHANGER - 79 YEARS PARTS
Registered Unit Replacement Warranty - Residential	HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT;HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT;HEAT EXCHANGER - 10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS;HEAT EXCHANGER - 20 YEARS PARTS
Standard Parts Warranty - Residential	HEAT EXCHANGER - 20 YEARS PARTS;ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Residential Split System/Gas Furnace
Release Status	Active