

# CAHEA3630C3

Item Number: CAHEA3630C3

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Product Family	CAHEA_32
Short Description	Evaporator Coil, Upflow/Downflow, Ton, R-32
Product Benefits	Factory-installed electronic expansion valve (EEV) for precise refrigerant control
Product Features - (Standard)	All-Aluminum evaporator coil;Optimized for use with R-32 refrigerant including circuits and manifolds;R-32 sensor designed for the life span of the coil;Factory-installed electronic expansion valve (EEV) for precise refrigerant control ? Compatibility with Daikin One+ smart thermostat and other Daikin communicating equipment ? Cooling and heat pump applications ? Fault recall of six most recent faults;Standardized copper suction tube stub length;21" depth for easier attic access;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Galvanized, leather grain-embossed finish; Rust resistant, thermoplastic drain pans featuring a low water-retention design;DecaBDE-free thermoplastic drain pan with secondary drain connections;Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity;UV-resistant drain pan; AHRI certified; ETL listed;Multi-position for horizontal, upflow and downflow applications
Cabinet Features	Single front access panel;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Galvanized, leather grain-embossed finish
Communication Feature	Yes
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051738126
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8

Attribute	Value
Country of Origin	USA
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	Evaporator Coil, Upflow/Downflow, 3 Ton, 23.5 in Cabinet with EEV Expansion, R-32
ProductDescriptionPIM	cchp cased coil, 3t
CoolingCapacityNominal	36000 Btu/H
Producer	Yes
ProductIDBarcode	CAHEA3630C3
PowerPhase	1 Ph
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	23.5 in
ExpansionDevice	EEV
IndoorOrificeSize	0.157 in
WeightUnit	58 lb
TonnageRange	3
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.00 in
Dimensions - (Case Height)	32.75 in
Dimensions - (Case Width)	23.50 in
Dimensions - (Distribution Unit Depth)	26 in
Dimensions - (Distribution Unit Height)	32.75 in

<b>Attribute</b>	<b>Value</b>
Dimensions - (Distribution Unit Width)	23.5 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	70.00 in
Dimensions - (Pallet Width)	50.00 in
Dimensions - (Shipping Unit Depth)	26.00 in
Dimensions - (Shipping Unit Height)	32.75 in
Dimensions - (Shipping Unit Width)	23.50 in
Distribution Shipping Volume - (Unit)	20010.25 in <sup>3</sup>
Shipping Volume - (Unit)	20010.250 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	20010.250 in <sup>3</sup>
Volume - (Distribution Shipping Unit)	20010.25 in <sup>3</sup>
Weight - (Case)	61.000 lb
Weight - (Distribution Shipping Unit)	66.09 lb
Weight - (Shipping Unit)	61.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty- Residential	5 YEARS UNIT REPLACEMENT