

CAPEA2418C3

Item Number: CAPEA2418C3

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPEA_32
Series Name	CAPEA
Short Description	CAPEA Evaporator Coil, Upflow/Downflow, Ton, R-32
Model Efficiency	17 SEER
Family Description	CAPEA AlumaFin7™ Evaporator Coil
Product Benefits	Factory-installed electronic expansion valve (EEV) for precise refrigerant control
Product Features - (Standard)	<p>All-Aluminum evaporator coil;Optimized for use with R-32 refrigerant including circuits and manifolds;R-32 sensor designed for the life span of the coil;Factory-installed electronic expansion valve (EEV) for precise refrigerant control</p> <p>? Compatibility with Daikin One+ smart thermostat and other Daikin communicating equipment</p> <p>? Cooling and heat pump applications</p> <p>? Fault recall of six most recent faults;Standardized copper suction tube stub length;21" depth for easier attic access;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Galvanized, leather grain-embossed finish; Rust resistant, thermoplastic drain pans featuring a low water-retention design;DecaBDE-free thermoplastic drain pan with secondary drain connections;Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity;UV-resistant drain pan; AHRI certified; ETL listed</p>
Cabinet Features	<p>Single front access panel</p> <p>Foil-faced insulation covers the internal casing to reduce cabinet condensation</p> <p>Galvanized, leather grain-embossed finish</p>
Installation Type	Ducted

Attribute	Value
Communication Feature	Yes
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051731431
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	USA
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAPEA Evaporator Coil, Upflow/Downflow, 2 Ton, 21 in Cabinet with EEV Expansion, R-32
ProductDescriptionPIM	2.0T Cased Upflow/Downflow R-32 Coil with EEV
CoolingCapacityNominal	24000 Btu/H
Producer	Yes
ProductIDBarcode	CAPEA2418C3
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
DimensionsUnitDepth	21 in
DimensionsUnitHeight	18 in
DimensionsUnitWidth	21 in
ExpansionDevice	EEV
IndoorOrificeSize	0.157 in
WeightUnit	47 lb
TonnageRange	2
CondensateDrainOutlet	3/4 in
PipeSizeGas	3/4 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-32

Attribute	Value
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.25 in
Dimensions - (Case Height)	20.75 in
Dimensions - (Case Width)	23.50 in
Dimensions - (Distribution Unit Depth)	26.25 in
Dimensions - (Distribution Unit Height)	20.75 in
Dimensions - (Distribution Unit Width)	23.5 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	66.75 in
Dimensions - (Pallet Width)	50.00 in
Dimensions - (Shipping Unit Depth)	26.25 in
Dimensions - (Shipping Unit Height)	20.75 in
Dimensions - (Shipping Unit Width)	23.50 in
Distribution Shipping Volume - (Unit)	12800.15625 in ³
Shipping Volume - (Unit)	12800.156 in ³
Truck Factor	0
Volume - (Case)	12800.156 in ³
Volume - (Distribution Shipping Unit)	12800.15625 in ³
Weight - (Case)	49.000 lb
Weight - (Distribution Shipping Unit)	51.09 lb
Weight - (Shipping Unit)	49.000 lb
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Active