

# CAPEA4830C4

Item Number: CAPEA4830C4

| Attribute                                     | Value  |
|---|--|
| Brand   | Corporate  |
| ProductCategory                               | Unitary  |
| ProductClassPIM                               | Coil   |
| System Family                                 | Unitary Split System   |
| Function Category                             | Cooling Only   |
| Product Type                                  | Equipment  |
| Unit Type                                     | Indoor   |
| Market Type                                   | Residential-Single Family  |
| Product Family                                | CAPE   |
| Series Name                                   | CAPEA / CAPE   |
| Short Description                             | CAPEA / CAPE Evaporator Coil, Upflow/Downflow, 4.0 Ton, R-410A   |
| Model Efficiency                              | 17 SEER  |
| Family Description                            | Cased with Internal EEV Upflow/Downflow  |
| Product Features - (Standard)                 | <p>1. All-Aluminum evaporator coil;2. Optimized for use with R-410A refrigerant ;3. Some models suitable for use with R-410A or R-22 refrigerant;4. Electronic Expansion Valve (EEV) models feature ? ComfortNet™ CommunicatingSystem compatible ? Cooling and heat pump applications ? Fault recall of six most recent faults;5. CAPT models feature factory-installed thermal expansion valves for cooling and heat pump applications;6. Check Flowrator for cooling and heat pump applications;7. CAPEA, CAPE and CHPE models feature fator-installed electronic expansion valve for precise refrigerant control ;8. Vertical and horizontal models available;CAPEA models include a single front access panel ;10. Rust resistant, thermoplastic drain pans featuring a low water-retention design;11. DecaBDE-free thermoplastic drain pain with secondary drain connections ;12. UV-resistant drain pan;13. AHRI certified; ETL listed</p> |
| Cabinet Features                              | <p>1. Twenty one inch depth for easier attic access;2. Split seam front for easy access (Except CAPEA models);3. Foil-faced insulation covers the internal casing to reduce cabinet condensation;4. Galvanized, leather grain-embossed finish</p>  |
| Installation Type                             | Ducted   |
| Communication Feature                         | Yes  |
| Export Control Classification Number - (ECCN) | EAR99  |

| Attribute                           | Value  |
|-------------------------------------|--|
| Universal Product Code (UPC)        | 663051687165   |
| Item Stocking Unit of Measure (UOM) | EA   |
| Pallet Qty                          | 8  |
| Country of Origin                   | USA  |
| US HTS Code                         | 8415.90.8020   |
| Canadian HTS Code                   | 8415.90.90.00  |
| Long Description                    | CAPEA / CAPE Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.54.0 Ton, 21 in Cabinet with EEV Expansion |
| ProductDescriptionPIM               | Cased Upflow/Downflow EEV Coil   |
| CoolingCapacityNominal              | 48000 Btu/H  |
| Producer                            | Yes  |
| ProductIDBarcode                    | CAPEA4830C4  |
| CabinetFinish                       | Painted  |
| CasedvsUncased                      | Cased  |
| DimensionsUnitDepth                 | 21 in  |
| DimensionsUnitHeight                | 30 in  |
| DimensionsUnitWidth                 | 21 in  |
| EvapCoilRows                        | 3  |
| EvapFinDensityFinsPerInch           | 17   |
| ExpansionDevice                     | EEV  |
| HeatExchangerType                   | Dual Fuel  |
| PlenumOpeningWidth                  | 20 in  |
| WeightUnit                          | 67 lb  |
| Tonnage                             | 4  |
| TonnageRange                        | 3.5;4.0  |
| CondensateDrainOutlet               | 3/4 in   |
| PipeSizeGas                         | 7/8 in   |
| PipeSizeLiquid                      | 3/8 in   |
| RefrigerantType                     | R-410A   |

| <b>Attribute</b>                         | <b>Value</b>               |
|--|----------------------------|
| Proposition 65 Label                     | Yes                        |
| Carton Type                              | CTN                        |
| Case Qty                                 | 1                          |
| Dimensions - (Case Depth)                | 26.00 in                   |
| Dimensions - (Case Height)               | 32.75 in                   |
| Dimensions - (Case Width)                | 23.50 in                   |
| Dimensions - (Distribution Unit Depth)   | 26 in                      |
| Dimensions - (Distribution Unit Height)  | 32.75 in                   |
| Dimensions - (Distribution Unit Width)   | 23.5 in                    |
| Dimensions - (Pallet Depth)              | 54.00 in                   |
| Dimensions - (Pallet Height)             | 70.00 in                   |
| Dimensions - (Pallet Width)              | 50.00 in                   |
| Dimensions - (Shipping Unit Depth)       | 26.00 in                   |
| Dimensions - (Shipping Unit Height)      | 32.75 in                   |
| Dimensions - (Shipping Unit Width)       | 23.50 in                   |
| Distribution Shipping Volume - (Unit)    | 20010.25 in <sup>3</sup>   |
| Shipping Volume - (Unit)                 | 20010.250 in <sup>3</sup>  |
| Truck Factor                             | 0                          |
| Volume - (Case)                          | 20010.250 in <sup>3</sup>  |
| Volume - (Distribution Shipping Unit)    | 20010.25 in <sup>3</sup>   |
| Weight - (Case)                          | 71.000 lb                  |
| Weight - (Distribution Shipping Unit)    | 71 lb                      |
| Weight - (Shipping Unit)                 | 71.000 lb                  |
| Registered Parts Warranty - Commercial   | ALL PARTS - 5 YEARS PARTS  |
| Registered Parts Warranty - Multi-Family | ALL PARTS - 10 YEARS PARTS |
| Registered Parts Warranty - Residential  | ALL PARTS - 10 YEARS PARTS |

| Attribute   | Value                                   |
|---|---|
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT               |
| Registered Unit Replacement Warranty - Commercial   | 5 YEARS UNIT REPLACEMENT                |
| Registered Unit Replacement Warranty - Residential  | 10 YEARS UNIT REPLACEMENT               |
| Standard Parts Warranty - Commercial                | ALL PARTS - 5 YEARS PARTS               |
| Standard Parts Warranty - Multi-Family              | ALL PARTS - 5 YEARS PARTS               |
| Standard Parts Warranty - Residential               | ALL PARTS - 5 YEARS PARTS               |
| Standard Unit Replacement Warranty - Commercial     | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty - Multi-Family   | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty- Residential     | 5 YEARS UNIT REPLACEMENT                |
| Ecomm Path Display                                  | Equipment/Residential Split System/Coil |
| Release Status                                      | Active                                  |