

# CAPF3743D6

Item Number: CAPF3743D6

| Attribute                                     | Value   |
|---|---|
| Brand   | Corporate   |
| ProductCategory                               | Unitary   |
| ProductClassPIM                               | Coil  |
| System Family                                 | Unitary Split System  |
| Function Category                             | Cooling Only  |
| Product Type                                  | Equipment   |
| Unit Type                                     | Indoor  |
| Market Type                                   | Residential-Single Family   |
| Product Family                                | CAPF  |
| Series Name                                   | CAPF  |
| Short Description                             | CAPF Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A   |
| Family Description                            | Cased Upflow/Downflow A-Coil Painted  |
| Product Features - (Standard)                 | 1. All-Aluminum evaporator coil;2. Optimized for use with R-410A refrigerant;3. Check flowrator for cooling and heat pump applications;4. Vertical application;5. 21" depth for easier attic access;6. Galvanized, leather grain-embossed finish;7. Rust resistant, thermoplastic drain pans featuring a low water-retention design;8. AHRI certified;9. ETL Listed |
| Cabinet Features                              | 1. Twenty one inch depth for easier attic access;2. Split seam front for easy access;3. Foil-faced insulation covers the internal casing to reduce cabinet condensation;4. Galvanized, leather grain-embossed finish  |
| Installation Type                             | Ducted  |
| Communication Feature                         | No  |
| Export Control Classification Number - (ECCN) | EAR99   |
| Min Advertised Price                          | 610 \$  |
| Serialized Flag                               | Yes   |
| Universal Product Code (UPC)                  | 663051540989  |
| Item Stocking Unit of Measure (UOM)           | EA  |
| Pallet Qty                                    | 8   |
| Country of Origin                             | USA   |

| Attribute                  | Value   |
|----------------------------|---|
| US HTS Code                | 8415.90.8020  |
| Canadian HTS Code          | 8415.90.90.00   |
| Long Description           | CAPF Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.03.5 Ton, 24-1/2 in Cabinet with Flowrator Expansion, R-22/R-410A |
| ProductDescriptionPIM      | 3.5 Ton, Cased Painted Upflow/Downflow, Coil  |
| CoolingCapacityNominal     | 42000 Btu/H   |
| Producer                   | Yes   |
| ProductIDBarcode           | CAPF3743D6  |
| PowerFrequency             | 60 Hz   |
| PowerPhase                 | 1 Ph  |
| CabinetFinish              | Painted   |
| CasedvsUncased             | Cased   |
| DimensionsUnitDepth        | 21 in   |
| DimensionsUnitHeight       | 30 in   |
| DimensionsUnitWidth        | 24-1/2 in   |
| ExpansionDevice            | Flowrator   |
| HeatExchangerType          | Air Cooled  |
| WeightUnit                 | 75 lb   |
| TonnageRange               | 3.0;3.5   |
| CondensateDrainOutlet      | 3/4 in  |
| PipeSizeGas                | 7/8 in  |
| PipeSizeLiquid             | 3/8 in  |
| RefrigerantType            | R-22/R-410A   |
| Proposition 65 Label       | Yes   |
| Carton Type                | CTN   |
| Case Qty                   | 1   |
| Dimensions - (Case Depth)  | 26.75 in  |
| Dimensions - (Case Height) | 32.25 in  |
| Dimensions - (Case Width)  | 26.00 in  |

| <b>Attribute</b>                                    | <b>Value</b>               |
|---|----------------------------|
| Dimensions - (Distribution Unit Depth)              | 26.75 in                   |
| Dimensions - (Distribution Unit Height)             | 32.25 in                   |
| Dimensions - (Distribution Unit Width)              | 26 in                      |
| Dimensions - (Pallet Depth)                         | 55.00 in                   |
| Dimensions - (Pallet Height)                        | 69.00 in                   |
| Dimensions - (Pallet Width)                         | 54.00 in                   |
| Dimensions - (Shipping Unit Depth)                  | 26.75 in                   |
| Dimensions - (Shipping Unit Height)                 | 32.25 in                   |
| Dimensions - (Shipping Unit Width)                  | 26.00 in                   |
| Distribution Shipping Volume - (Unit)               | 22429.875 in <sup>3</sup>  |
| Shipping Volume - (Unit)                            | 22429.875 in <sup>3</sup>  |
| Truck Factor  | 0                          |
| Volume - (Case)                                     | 22429.875 in <sup>3</sup>  |
| Volume - (Distribution Shipping Unit)               | 22429.875 in <sup>3</sup>  |
| Weight - (Case)                                     | 75.000 lb                  |
| Weight - (Distribution Shipping Unit)               | 75 lb                      |
| Weight - (Shipping Unit)                            | 75.000 lb                  |
| Registered Parts Warranty - Commercial              | ALL PARTS - 5 YEARS PARTS  |
| Registered Parts Warranty - Multi-Family            | ALL PARTS - 10 YEARS PARTS |
| Registered Parts Warranty - Residential             | ALL PARTS - 10 YEARS PARTS |
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT  |
| Registered Unit Replacement Warranty - Commercial   | 5 YEARS UNIT REPLACEMENT   |
| Registered Unit Replacement Warranty - Residential  | 10 YEARS UNIT REPLACEMENT  |
| Standard Parts Warranty - Commercial                | ALL PARTS - 5 YEARS PARTS  |
| Standard Parts Warranty - Multi-Family              | ALL PARTS - 5 YEARS PARTS  |

| <b>Attribute</b>                                  | <b>Value</b>                            |
|---|---|
| Standard Parts Warranty - Residential             | ALL PARTS - 5 YEARS PARTS               |
| Standard Unit Replacement Warranty - Commercial   | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty - Multi-Family | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty- Residential   | 5 YEARS UNIT REPLACEMENT                |
| Ecomm Path Display                                | Equipment/Residential Split System/Coil |
| Release Status                                    | Obsolete                                |