

# CAPFA4226B3

Item Number: CAPFA4226B3

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPFA_32
Series Name	CAPFA AlumaFin7™
Short Description	CAPFA AlumaFin7™ Evaporator Coil, Upflow/Downflow, Ton, R-32
Family Description	CAPFA AlumaFin7™ Evaporator Coil
Product Features - (Standard)	All-Aluminum evaporator coil;Optimized for use with R-32 refrigerant including circuits and manifolds;R-32 sensor designed for the life span of the coil;Factory-installed optimized metering device (piston);Standardized copper suction tube stub length;21" depth for easier attic access;Single front access panel;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Vertical application;Galvanized, leather grain-embossed finish;Rust resistant, thermoplastic drain pans featuring a low water-retention design;DecaBDE-free thermoplastic drain pan with secondary drain connections;Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity;UV-resistant drain pan;AHRI certified;ETL listed
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051696303
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA
US HTS Code	8415.90.8020

Attribute	Value
Canadian HTS Code	8415.90.90.00
Long Description	CAPFA AlumaFin7™ Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.5 Ton, 26 in Cabinet with Flowrator Expansion, R-32
ProductDescriptionPIM	3.5T Cased Upflow/Downflow R-32 Coil
Producer	Yes
ProductIDBarcode	CAPFA4226B3
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
DimensionsUnitDepth	17.5 in
DimensionsUnitHeight	21 in
DimensionsUnitWidth	26 in
EvapCoilRows	3
EvapFinDensityFinsPerInch	17
ExpansionDevice	Flowrator
TonnageRange	3.5
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.25 in
Dimensions - (Case Height)	28.50 in
Dimensions - (Case Width)	20.00 in
Dimensions - (Distribution Unit Depth)	26.25 in
Dimensions - (Distribution Unit Height)	28.5 in

<b>Attribute</b>	<b>Value</b>
Dimensions - (Distribution Unit Width)	20 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	61.50 in
Dimensions - (Pallet Width)	41.00 in
Dimensions - (Shipping Unit Depth)	26.25 in
Dimensions - (Shipping Unit Height)	28.50 in
Dimensions - (Shipping Unit Width)	20.00 in
Distribution Shipping Volume - (Unit)	14962.5 in <sup>3</sup>
Shipping Volume - (Unit)	14962.500 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	14962.500 in <sup>3</sup>
Volume - (Distribution Shipping Unit)	14962.5 in <sup>3</sup>
Weight - (Case)	54.000 lb
Weight - (Distribution Shipping Unit)	54 lb
Weight - (Shipping Unit)	54.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty- Residential	5 YEARS UNIT REPLACEMENT
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Active