

# CHPEA3626C3

Item Number: CHPEA3626C3

| Attribute                     | Value   |
|-------------------------------|---|
| Brand                         | Corporate   |
| ProductCategory               | Unitary   |
| ProductClassPIM               | Coil  |
| System Family                 | Unitary Split System  |
| Function Category             | Cooling Only  |
| Product Type                  | Equipment   |
| Unit Type                     | Indoor  |
| Market Type                   | Residential-Single Family   |
| Product Family                | CHPEA   |
| Series Name                   | CHPEA   |
| Short Description             | CHPEA Evaporator Coil, Horizontal, Ton, R-32  |
| Model Efficiency              | 17 SEER   |
| Family Description            | Cased Horizontal "A" with Internal EEV  |
| Product Benefits              | Factory-installed electronic expansion valve (EEV) for precise refrigerant control  |
| Product Features - (Standard) | <p>All-Aluminum evaporator coil<br/>           Optimized for use with R-32 refrigerant including circuits and manifolds<br/>           R-32 sensor designed for the life span of the coil<br/>           Factory-installed electronic expansion valve (EEV) for precise refrigerant control<br/>           ? Compatibility with Daikin One+ smart thermostat and other Daikin communicating equipment<br/>           ? Cooling and heat pump applications<br/>           ? Fault recall of six most recent faults<br/>           Standardized copper suction tube stub length<br/>           21" depth for easier attic access<br/>           Foil-faced insulation covers the internal casing to reduce cabinet condensation<br/>           Galvanized, leather grain-embossed finish<br/>           Rust resistant, thermoplastic drain pans featuring a low water-retention design<br/>           DecaBDE-free thermoplastic drain pan with secondary drain connections<br/>           Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity<br/>           UV-resistant drain pan<br/>           AHRI certified; ETL listed</p> |

| Attribute                                     | Value   |
|---|---|
| Cabinet Features                              | 21" depth for easier attic access;Single front access panel;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Galvanized, leather grain-embossed finish |
| Installation Type                             | Ducted  |
| Communication Feature                         | Yes   |
| Export Control Classification Number - (ECCN) | EAR99   |
| Universal Product Code (UPC)                  | 663051737006  |
| Item Stocking Unit of Measure (UOM)           | EA  |
| Pallet Qty                                    | 12  |
| Country of Origin                             | USA   |
| US HTS Code                                   | 8415.90.8020  |
| Canadian HTS Code                             | 8415.90.90.00   |
| Long Description                              | CHPEA Cased Aluminum Evaporator Coil, Horizontal, 3 Ton, 26.5 in Cabinet with EEV Expansion, R-32   |
| ProductDescriptionPIM                         | 3.0T Cased Horizontal R-32 Coil with EEV  |
| CoolingCapacityNominal                        | 36000 Btu/H   |
| Producer                                      | Yes   |
| ProductIDBarcode                              | CHPEA3626C3   |
| PowerFrequency                                | 60 Hz   |
| PowerPhase                                    | 1 Ph  |
| CabinetFinish                                 | Galvanized, leather grain-embossed finish, Painted  |
| CasedvsUncased                                | Cased   |
| DimensionsUnitDepth                           | 21 in   |
| DimensionsUnitHeight                          | 21 in   |
| DimensionsUnitWidth                           | 26.5 in   |
| ExpansionDevice                               | EEV   |
| IndoorOrificeSize                             | 0.157 in  |
| WeightUnit                                    | 69 lb   |
| TonnageRange                                  | 3   |

| <b>Attribute</b>                        | <b>Value</b>              |
|---|---------------------------|
| CondensateDrainOutlet                   | 3/4 in                    |
| PipeSizeGas                             | 7/8 in                    |
| PipeSizeLiquid                          | 1/4 in                    |
| RefrigerantType                         | R-32                      |
| Proposition 65 Label                    | Yes                       |
| Carton Type                             | CTN                       |
| Case Qty                                | 1                         |
| Dimensions - (Case Depth)               | 28.00 in                  |
| Dimensions - (Case Height)              | 23.50 in                  |
| Dimensions - (Case Width)               | 26.50 in                  |
| Dimensions - (Distribution Unit Depth)  | 28 in                     |
| Dimensions - (Distribution Unit Height) | 23.5 in                   |
| Dimensions - (Distribution Unit Width)  | 26.5 in                   |
| Dimensions - (Pallet Depth)             | 58.50 in                  |
| Dimensions - (Pallet Height)            | 75.50 in                  |
| Dimensions - (Pallet Width)             | 54.00 in                  |
| Dimensions - (Shipping Unit Depth)      | 28.00 in                  |
| Dimensions - (Shipping Unit Height)     | 23.50 in                  |
| Dimensions - (Shipping Unit Width)      | 26.50 in                  |
| Distribution Shipping Volume - (Unit)   | 17437 in <sup>3</sup>     |
| Shipping Volume - (Unit)                | 17437.000 in <sup>3</sup> |
| Truck Factor                            | 0                         |
| Volume - (Case)                         | 17437.000 in <sup>3</sup> |
| Volume - (Distribution Shipping Unit)   | 17437 in <sup>3</sup>     |
| Weight - (Case)                         | 71.000 lb                 |
| Weight - (Distribution Shipping Unit)   | 71 lb                     |
| Weight - (Shipping Unit)                | 71.000 lb                 |
| Registered Parts Warranty - Commercial  | ALL PARTS - 5 YEARS PARTS |

| Attribute   | Value                                   |
|---|---|
| Registered Parts Warranty - Multi-Family            | ALL PARTS - 10 YEARS PARTS              |
| Registered Parts Warranty - Residential             | ALL PARTS - 10 YEARS PARTS              |
| Registered Unit Replacement Warranty - Multi-Family | 10 YEARS UNIT REPLACEMENT               |
| Registered Unit Replacement Warranty - Commercial   | 5 YEARS UNIT REPLACEMENT                |
| Registered Unit Replacement Warranty - Residential  | 10 YEARS UNIT REPLACEMENT               |
| Standard Parts Warranty - Commercial                | ALL PARTS - 5 YEARS PARTS               |
| Standard Parts Warranty - Multi-Family              | ALL PARTS - 5 YEARS PARTS               |
| Standard Parts Warranty - Residential               | ALL PARTS - 5 YEARS PARTS               |
| Standard Unit Replacement Warranty - Commercial     | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty - Multi-Family   | 5 YEARS UNIT REPLACEMENT                |
| Standard Unit Replacement Warranty- Residential     | 5 YEARS UNIT REPLACEMENT                |
| Ecomm Path Display                                  | Equipment/Residential Split System/Coil |
| Release Status                                      | Active                                  |