

6210

Attribute	Value
UPC-12	686720621000
Short Name	10"Rd Aprilaire Static Bp
Packaging Hierarchy Level	Each
Manufacturer	Research Products Corporation
Brand	AprilAire
Status	Active
Product Category	Controls>Zoning>Zone Dampers
Sales Region	USA and Canada
UNSPS Code	40101504-Ventilation Dampers
Master Title - Short	AprilAire 6210 Two Wire Motorized Zone Control Bypass Damper - 10 in.
Master Title - Long	AprilAire 6210 Two Wire Power-Open/Power-Close Round Static Pressure Controlled Motorized Zone Control Bypass Damper - 10 in. 24VAC In-Line
Master Bullets - Trade	Compatible with the AprilAire Zoned Comfort Control system Dampers are designed to relieve excess system pressure by maintaining the system static pressure based on a field adjustable static pressure switch Time delay feature to allow actuator to perform a 30 second delay before beginning to close Rigorous cycle testing in extreme temperatures (over 140° F) to simulate attic summer conditions Actuator design proven successful in thousands of system installs Orange indicator—easy to read from a distance Open and closed position clearly indicated Orange position indicator on both sides of damper Raised actuator allows flex duct to encase entire damper Damper shell extended beyond actuator to provide ample space to secure flex duct (zip tie) Insulation proof—all openings secured preventing spray in insulation from entering actuator and causing problems Gasket material minimizes air bypass when blade is closed Common plastic bearing stabilizes damper blade Hex shaft allows secure blade fastening Start-up torque dampened with torsion lever for extended life Motor covered for improved appearance, cover tightly secured One Piece Assembly - simple, labor saving design
Keywords	aprilair, round, cylinder, barometric, bypass, mount, zone, zoning, control, damper, replacement, part, thermostat
Warranty Length	5 Years
Service Model Numbers	6995, 6996
Color	Silver
Shape	Round
Included Components	1 Damper
Assembly Required (Y/N)	No

Attribute	Value
Battery Required (Y/N)	No
Voltage (V)	24VAC
Volt Amps (VA)	3
Wattage (W)	2
Electrical Frequency (Hz)	60
Min Max Operating Temperature (F)	32 160
Housing Gauge (ga)	24
Power Source	Two Wire
Mounting Type	In-Line
Damper Actuator Type	Power-Open/Power-Close
Damper Blade Width (in)	9.63
Serial Numbered (Y/N)	No
Assembled Length (in) - ACTUAL - Component 1	14
Assembled Width (in) - ACTUAL - Component 1	10.13
Assembled Height (in) - ACTUAL - Component 1	10
Assembled Weight (lb) - Component 1	6.12
Ship Length (in)	14
Ship Width (in)	14
Ship Height (in)	15
Ship Volume (cuft)	1.7
Ship Weight (lb)	7.80
MOQ/Order Multiple	1
Pallet Stack Max	3
Country of Origin	USA
Harmonized Code	9032.89.0029
Freight Class	250
NMFC Code	55745
Image - Hero	https://rp.widen.net/content/rnmpl8Inje/jpeg/aprilaire-6200-series-static-pre-ssure-relief-damper-hero-photo.jpg

Attribute	Value
Image - Logo	http://images.salsify.com/image/upload/s--EvvPG7ie--/gtadtev3mzxxdzb6qocr.png
PDF - Product Guide	https://rp.widen.net/content/ionrn5ungm/original/aprilaire-zone-control-product-guide-5060.pdf
PDF - Product Guide All	https://rp.widen.net/content/4uiwz4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf
PDF - Spec Sheet	https://rp.widen.net/content/queenf8rjhh/original/aprilaire-zone-dampers-sell-sheet-specification-sheet-5061.pdf
PDF - Submittal Sheet	https://rp.widen.net/content/rnroujy4dr/original/aprilaire-static-pressure-damper-submittal-sheet-4106.pdf
ITEM	6210