

Attribute	Value
UPC-12	686720000638
Short Name	AprilAire 63 Modulating Digital Steam Humidifier Control
Packaging Hierarchy Level	Each
Manufacturer	Research Products Corporation
Brand	AprilAire
Status	Active
Product Category	Humidification>Humidifiers>Humidistats
Sales Region	USA and Canada
UNSPS Code	41111951-Humidistat
Master Title - Short	AprilAire 63 Modulating Digital Steam Humidifier Control
Master Title - Long	AprilAire 63 Modulating Digital Steam Humidifier Control With Duct Humidity Sensor, Outdoor Temperature Sensor, and Blower Activation
Master Bullets - Trade	<p>IDEAL RELATIVE HUMIDITY – Achieve balanced humidity in the home which has been shown to reduce the incidence of respiratory infections and symptoms related to allergies and asthma by minimizing the formation of bacteria, viruses, fungi, and dust mites APPLICATION – Designed to be mounted on a wall in the living space where the homeowner wants to monitor and control humidity levels. Must be 5 ft off the floor and 18" from an outside wall. The control measures 2.85" (L) x 0.96" (W) x 4.84" (H). DIGITAL DISPLAY – Features a large, blue LED backlit LCD display showing relative humidity percentage and the set point when adjusting it up or down BLOWER ACTIVATION – Includes an integrated Blower Activation function that maximizes the humidifier run time by running with the heat and fan cycles of the HVAC system, or if additional time is needed, it can bring the HVAC fan on itself DUCT PROBE – Comes with a duct probe to remotely monitor humidity within the HVAC return duct FULLY ELECTRONIC – This fully electronic control is accurate to within $\pm 3\%$ RH APRILAIRE HUMIDIFIER COMPATIBILITY – Works with AprilAire Whole-House Steam Humidifier Models 801 and 866 INSTALL WITH CONFIDENCE – This humidifier control was designed by AprilAire, a leader in Indoor Air Quality solutions, to optimize the performance of the AprilAire Whole-House Humidifier INCLUDES – 63 Modulating Digital Humidifier Control, Duct Sensor, Blower Activation Relay, Outdoor Temperature Sensor, Template for Cutting Duct Opening, Installation Manual</p>

Attribute	Value
Master Long Description - Trade	<p>The AprilAire 63 Modulating Digital Humidifier Control with Duct Humidity Sensor and Outdoor Temperature Sensor promotes ideal relative humidity in the home, working with the AprilAire Whole-House Steam Humidifier. It ensures that humidifier run time is maximized by bringing the HVAC fan on whenever humidity is needed and when the temperature outside falls, the maximum set point is similarly decreased to avoid excessive moisture buildup within the home. Its standout feature is the large, blue LED backlit LCD display, providing clear visibility of the relative humidity percentage and set point adjustments. The included duct probe allows remote monitoring of humidity within the HVAC return duct while the control itself is mounted in the living space for convenient access. Designed for AprilAire Steam Humidifier Models 801 and 866 (sold separately), the 63 Control ensures comprehensive compatibility.</p>
Master Bullets - Consumer	<p>IDEAL RELATIVE HUMIDITY – Achieve balanced humidity in the home which has been shown to reduce the incidence of respiratory infections and symptoms related to allergies and asthma by minimizing the formation of bacteria, viruses, fungi, and dust mites SIMPLE OPERATION – Automatically adjusts the home's relative humidity based on the outdoor temperature when used in Automatic Mode. The control may also be used in Manual Mode, if preferred. DIGITAL DISPLAY – Features a large, blue LED backlit LCD display showing relative humidity percentage and the set point when adjusting it up or down BLOWER ACTIVATION – Includes an integrated Blower Activation function that maximizes the humidifier run time by running with the heat and fan cycles of the HVAC system, or if additional time is needed, it can bring the HVAC fan on itself FEEDBACK INDICATORS – Includes convenient control indicator lights for Call Dealer for Service (indicates the humidifier is not operating normally and that service is required), Change Water Panel (indicates that it is time to change the water panel), and Humidifier On (indicates the humidifier is operating normally) FULLY ELECTRONIC – This fully electronic control is accurate to within $\pm 3\%$ RH APRILAIRE HUMIDIFIER COMPATIBILITY – Works with AprilAire Whole-House Steam Humidifier Models 801 and 866 INSTALL WITH CONFIDENCE – This humidifier control was designed by AprilAire, a leader in Indoor Air Quality solutions, to optimize the performance of the AprilAire Whole-House Humidifier INCLUDES – 63 Modulating Digital Humidifier Control, Duct Sensor, Blower Activation Relay, Outdoor Temperature Sensor, Template for Cutting Duct Opening, Installation Manual</p>
Master Long Description - Consumer	<p>The AprilAire 63 Modulating Digital Humidifier Control with Duct Humidity Sensor and Outdoor Temperature Sensor promotes ideal relative humidity in your home, working with the AprilAire Whole-House Steam Humidifier. It ensures that humidifier run time is maximized by bringing the HVAC fan on whenever humidity is needed and when the temperature outside falls, the maximum set point is similarly decreased to avoid excessive moisture buildup within your home. Its standout feature is the large, blue LED backlit LCD display, providing clear visibility of the relative humidity percentage and set point adjustments. The included duct probe allows remote monitoring of humidity within the HVAC return duct while the control itself is mounted in the living space for convenient access. Designed for AprilAire Steam Humidifier Models 801 and 866 (sold separately), the 63 Control ensures comprehensive compatibility.</p>

Attribute	Value
Keywords	aprilair, humidistats, humidifier, home, indoor, humidity, controller, monitor, automatic, digital
Warranty Length	5 Years
Service Model Numbers	5559, 4851, 8052
Accessory Model Numbers	801
Color	Gray
Shape	Rectangle
Assembly Required (Y/N)	No
Battery Required (Y/N)	No
Assembled Length (in) - ACTUAL - Component 1	2.85
Assembled Width (in) - ACTUAL - Component 1	1
Assembled Height (in) - ACTUAL - Component 1	4.85
Assembled Weight (lb) - Component 1	0.71
Ship Length (in)	9
Ship Width (in)	6
Ship Height (in)	4
Ship Volume (cuft)	0.13
Ship Weight (lb)	1.30
MOQ/Order Multiple	1
Pallet Stack Max	3
Country of Origin	CAN
Harmonized Code	9032.89.6070
Freight Class	85
NMFC Code	25525
Image - Hero	https://rp.widen.net/content/dtv0zkjkpe/jpeg/aprilair-63-5558-automatic-digital-modulating-control-hero-photo.ai
Image - Logo	http://images.salsify.com/image/upload/s--EvvPG7ie--/gtadtev3mzxxdvv6qocr.png
PDF - Manual - Installation	https://rp.widen.net/content/oe2eludn3b/original/aprilair-63-5558-humidifier-digital-modulating-control-english-french-installation-guide-B2206528.pdf
PDF - Spec Sheet	https://rp.widen.net/content/y89fuuhhku/original/aprilair-63-5558-modulating-steam-humidifier-control-specification-sheet-300.pdf

Attribute	Value
PDF - Submittal Sheet	https://rp.widen.net/content/wqfqmc31rq/original/aprilaire-63-automatic-digital-modulating-control-package-submittal-sheet-303.pdf
PDF - Warranty	https://rp.widen.net/content/ni4ua13nol/original/aprilaire-humidifier-limited-warranty-policy.pdf
PDF - Parts List	https://rp.widen.net/content/dgcrphssjf/original/aprilaire-humidifier-parts-list-176b.pdf
Video - Commercial	https://rp.widen.net/content/6e7o4rstq7/original/aprilaire-humidifier-humidification-long-form-video.mp4
Video - Commercial.1	https://rp.widen.net/content/fku0p1kni4/original/aprilaire-humidifier-humidification-30-second-video.mp4
Video - Commercial - YouTube URL	https://youtu.be/WJIMmPx3mbg
Video - Commercial - YouTube URL.1	https://youtu.be/LuYnDSdleY4
ITEM	63