

6510

Attribute	Value
UPC-12	686720651007
Short Name	10" Rd Closed Damper
Packaging Hierarchy Level	Each
Pallet GTIN	70686720651006
Manufacturer	Research Products Corporation
Brand	AprilAire
Status	Active
Product Category	Controls>Zoning>Zone Dampers
Sales Region	USA and Canada
UNSPS Code	40101504-Ventilation Dampers
Master Title - Short	AprilAire 6510 Two Wire Ventilation Damper - 10 in.
Master Title - Long	AprilAire 6510 Two Wire Normally Closed/Power-Open Round Ventilation Damper - 10 in. 24VAC In-Line
Master Bullets - Trade	<p>Compatible with AprilAire Ventilation and Dehumidification systems Dampers are designed to work in low pressure systems (less than 1.0" w.c.) Synchronous type motor, impedance protected for continuous stall capability without electrical or mechanical damage Damper comes with motor mounted Rigorous cycle testing in extreme temperatures (over 140° F) to simulate attic summer conditions Actuator design proven successful in thousands of system installs Orange indicator—easy to read from a distance Open and closed position clearly indicated Orange position indicator on both sides of damper Raised actuator allows flex duct to encase entire damper Damper shell extended beyond actuator to provide ample space to secure flex duct (zip tie) Insulation proof—all openings secured preventing spray in insulation from entering actuator and causing problems Gasket material minimizes air bypass when blade is closed Common plastic bearing stabilizes damper blade Hex shaft allows secure blade fastening Start-up torque dampened with torsion lever for extended life Motor covered for improved appearance, cover tightly secured One Piece Assembly - simple, labor saving design</p>
Keywords	aprilair, round, cylinder, closed, mount, zone, zoning, control, damper, replacement, part, thermostat
Warranty Length	5 Years
Service Model Numbers	6993, 6998
Color	Silver
Shape	Round
Included Components	1 Damper

Attribute	Value
Assembly Required (Y/N)	No
Battery Required (Y/N)	No
Voltage (V)	24VAC
Volt Amps (VA)	10
Wattage (W)	6
Electrical Frequency (Hz)	60
Min Max Operating Temperature (F)	32 160
Housing Gauge (ga)	24
Power Source	Two Wire
Mounting Type	In-Line
Damper Actuator Type	Normally Closed/Power-Open
Damper Blade Width (in)	9.63
Serial Numbered (Y/N)	Yes
Assembled Length (in) - ACTUAL - Component 1	14.38
Assembled Width (in) - ACTUAL - Component 1	10
Assembled Height (in) - ACTUAL - Component 1	10.75
Assembled Weight (lb) - Component 1	4.32
Ship Length (in)	14
Ship Width (in)	14
Ship Height (in)	12
Ship Volume (cuft)	1.36
Ship Weight (lb)	6.00
MOQ/Order Multiple	1
Eaches per Pallet	27
Cases per Pallet Layer	9
Case Layers per Pallet	3.0
Pallet Stack Max	3
Country of Origin	USA
Harmonized Code	9032.89.0029

Attribute	Value
Freight Class	250
NMFC Code	55745
PALLET - Ship Length (in)	46
PALLET - Ship Width (in)	46
PALLET - Ship Height (in)	40
PALLET - Ship Weight (lb)	162.00
Image - Hero	https://rp.widen.net/content/ngp1flsq1p/jpeg/aprilaire-zoning-ventilation-damper-hero-photo.jpg
Image - Logo	http://images.salsify.com/image/upload/s--EwwPG7ie--/gtadtev3mzxxdxb6qxcxcr.png
PDF - Product Guide All	https://rp.widen.net/content/4uiwz4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf
PDF - Spec Sheet	https://rp.widen.net/content/queenf8rjhh/original/aprilaire-zone-dampers-sell-sheet-specification-sheet-5061.pdf
PDF - Submittal Sheet	https://rp.widen.net/content/sfvzvucg1t/original/aprilaire-6506-6508-6510-6512-round-ventilation-damper-submittal-sheet-3047.pdf
ITEM	6510