

# 6705

Attribute	Value
UPC-12	686720670503
Short Name	5 Inch Round Slip-In Damper
Packaging Hierarchy Level	Each
Manufacturer	Research Products Corporation
Brand	AprilAire
Status	Active
Product Category	Controls>Zoning>Zone Dampers
Sales Region	USA and Canada
UNSPS Code	40101504-Ventilation Dampers
Master Title - Short	AprilAire 6705 Two Wire Zone Control Damper - 5 in.
Master Title - Long	AprilAire 6705 Two Wire Normally Open/Power-Close Round Zone Control Damper - 5 in. 24VAC Slip-In
Master Bullets - Trade	<p>Easy Installation - simply cut a slot, insert the damper and screw or strap the damper to the duct   Highly visible damper blade position indicator shows damper position, simplifying check-out and troubleshooting   "No gears" Flex-Link™ technology ensures long life   Power closed/spring open design assures air flow to all zones even if there is a loss of power to the damper   Improve area to area comfort without major redesign of existing ductwork   More cost effective than new duct system, both labor and materials   Works with any of the AprilAire Zone Control Panels for completely automatic operation   Add Model 8028 Power Distribution Panel (sold separately) to simplify installation when the number of dampers exceeds the fuse rating of the zone panel</p>
Keywords	aprilair, round, slip, slip-in, damper, zone, zoning, control, part, thermostat
Warranty Length	5 Years
Accessory Model Numbers	8028
Color	Gray
Shape	Round
Included Components	1 Damper
Assembly Required (Y/N)	No
Battery Required (Y/N)	No
Voltage (V)	24VAC
Volt Amps (VA)	10
Wattage (W)	6
Electrical Frequency (Hz)	60

Attribute	Value
Min Max Operating Temperature (F)	32 160
Power Source	Two Wire
Mounting Type	Slip-In
Damper Actuator Type	Normally Open/Power-Close
Damper Blade Width (in)	5.5
Serial Numbered (Y/N)	Yes
Assembled Length (in) - ACTUAL - Component 1	8.3
Assembled Width (in) - ACTUAL - Component 1	3.8
Assembled Height (in) - ACTUAL - Component 1	12.6
Assembled Weight (lb) - Component 1	1.5
Ship Length (in)	15
Ship Width (in)	6
Ship Height (in)	15
Ship Volume (cuft)	0.78
Ship Weight (lb)	2.45
MOQ/Order Multiple	1
Eaches per Pallet	60
Cases per Pallet Layer	20
Case Layers per Pallet	3.0
Pallet Stack Max	3
Country of Origin	USA
Harmonized Code	9032.89.0029
Freight Class	250
NMFC Code	55745
Image - Hero	<a href="https://rp.widen.net/content/ovm0q1rad3/jpeg/aprilaire-zoning-round-slip-in-damper-hero-photo.jpg">https://rp.widen.net/content/ovm0q1rad3/jpeg/aprilaire-zoning-round-slip-in-damper-hero-photo.jpg</a>
Image - Logo	<a href="http://images.salsify.com/image/upload/s--EwwPG7ie--/gtadtev3mzxxdzb6qxcr.png">http://images.salsify.com/image/upload/s--EwwPG7ie--/gtadtev3mzxxdzb6qxcr.png</a>
PDF - Manual - Installation	<a href="https://rp.widen.net/content/b1enjapve2/original/aprilaire-zoning-round-slip-in-damper-installation-guide-B2205508.pdf">https://rp.widen.net/content/b1enjapve2/original/aprilaire-zoning-round-slip-in-damper-installation-guide-B2205508.pdf</a>

Attribute	Value
PDF - Product Guide	<a href="https://rp.widen.net/content/ionrn5ungm/original/aprilaire-zone-control-product-guide-5060.pdf">https://rp.widen.net/content/ionrn5ungm/original/aprilaire-zone-control-product-guide-5060.pdf</a>
PDF - Product Guide All	<a href="https://rp.widen.net/content/4uiwz4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf">https://rp.widen.net/content/4uiwz4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf</a>
PDF - Spec Sheet	<a href="https://rp.widen.net/content/z1gknb4jnh/original/aprilaire-zoning-8028-power-distribution-panel-and-round-slip-in-damper-specification-sheet-5038.pdf">https://rp.widen.net/content/z1gknb4jnh/original/aprilaire-zoning-8028-power-distribution-panel-and-round-slip-in-damper-specification-sheet-5038.pdf</a>
PDF - Spec Sheet.1	<a href="https://rp.widen.net/content/veenf8rjhh/original/aprilaire-zone-dampers-sell-sheet-specification-sheet-5061.pdf">https://rp.widen.net/content/veenf8rjhh/original/aprilaire-zone-dampers-sell-sheet-specification-sheet-5061.pdf</a>
_ITEM_	6705