

8466

| Attribute | Value |
|---------------------------------|---|
| UPC-12 | 686720846601 |
| Short Name | Universal, Multi-Stage 2H/2C Or 4H/2C Heat Pump, Dual Powered (5/2 Or 5/1/1 Day) |
| Packaging Hierarchy Level | Each |
| Case GTIN | 30686720846602 |
| Manufacturer | Research Products Corporation |
| Brand | AprilAire |
| Status | Active |
| Product Category | Controls>Thermostats>Programmable |
| Sales Region | USA and Canada |
| Launch Date | 2009-08-01 |
| UNSPS Code | 41112209-Thermostats |
| Master Bullets - Trade | 5/1/1 day: Create a different program for weekdays, Saturdays and Sundays 5/2 day: Create a different program for weekdays and weekends Large 4.5 square-inch LCD Screen with a high-contrast, backlit display for easy reading Progressive recovery ensures your home is always at your desired temperature by activating the heating and cooling equipment prior to a scheduled setting Easy-to-use temperature control and the ability to override the program schedule at any time Simultaneous temperature display of room temperature, temperature setting, and outdoor temperature, in Fahrenheit or Celsius Service reminders for your HVAC system, humidifier, dehumidifier, and air filter protect your equipment and ensure the longevity of your investment Permanent memory maintains programming, time, and date during a power outage Simple setup menu for activating optional features Quick-reference instructions on board Soft-touch keys 5-year warranty |
| Master Long Description - Trade | The AprilAire Model 8466 Thermostat is a programmable thermostat that allows you to create personalized programs based on your lifestyle. This enables you to control your heating and cooling system for total comfort and efficiency. Energy savings: Set back the temperature overnight and when you're away. Progressive recovery: This feature ensures your home is always at your desired temperature by activating the heating and cooling equipment prior to a scheduled setting; so your desired temperature is assured just when you want it. Can control Single Stage or Multistage standard or heat pump systems. Works with both standard and heat pump HVAC systems and is installed by a local HVAC professional. |
| Keywords | aprlaire, thermostat, heatpump, heat, pump, program, programmanble, schedule |
| Warranty Length | 5 Years |
| Service Model Numbers | 4910 |

| Attribute | Value |
|--|---|
| Accessory Model Numbers | 8052 |
| Color | Gray |
| Shape | Rectangle |
| Materials | Plastic; Printed Circuit Board |
| Included Components | 8466 Programmable Thermostat; Installation Guide; Owner's Manual |
| Assembly Required (Y/N) | No |
| Battery Required (Y/N) | Yes |
| Battery Included (Y/N) | Yes |
| Battery Quantity | 2 |
| Battery Type | AA |
| Battery Cell Composition | Alkaline |
| Battery Packaging | Battery Packed With Product |
| Voltage (V) | 24VAC |
| Min Max Operating Temperature (F) | 32 120 |
| Min Max Control Temperature (F) | 45 99 |
| Stages | Heat/Cool: 2H/2C; Heat Pump: 4H/2C |
| Thermostat Features | Change/Check Reminders; Heat Pump Compatible; Outdoor Temperature |
| Screen Size (in) | 3.25 |
| Mounting Type | Wall |
| Assembled Length (in) - ACTUAL - Component 1 | 5.25 |
| Assembled Width (in) - ACTUAL - Component 1 | 1.00 |
| Assembled Height (in) - ACTUAL - Component 1 | 4.50 |
| Assembled Weight (lb) - Component 1 | 0.48 |
| Ship Length (in) | 6 |
| Ship Width (in) | 5 |
| Ship Height (in) | 2 |
| Ship Volume (cuft) | 0.03 |
| Ship Weight (lb) | 0.79 |
| MOQ/Order Multiple | 1 |

| Attribute | Value |
|--------------------------------|---|
| Eaches per Case | 10 |
| Eaches per Pallet | 480 |
| Cases per Pallet Layer | 12 |
| Case Layers per Pallet | 4.0 |
| Pallet Stack Max | 3 |
| Country of Origin | CHN |
| Harmonized Code | 9032.10.0000 |
| Freight Class | 100 |
| NMFC Code | 188340 |
| CASE PACK - Ship Length (in) | 11 |
| CASE PACK - Ship Width (in) | 10 |
| CASE PACK - Ship Height (in) | 7 |
| CASE PACK - Ship Volume (cuft) | 0.45 |
| CASE PACK - Ship Weight (lb) | 7.90 |
| Image - Hero | https://rp.widen.net/content/fhn7hbsc3i/jpeg/aprilaire-8466-thermostat-hero-photo.jpg |
| Image - Back | https://rp.widen.net/content/uyh1uvd496/jpeg/aprilaire-8400-series-thermostat-back-facing-photo.jpg |
| Image - Left | https://rp.widen.net/content/mutkurorrt/jpeg/aprilaire-8400-series-thermostat-left-side-view-photo.jpg |
| Image - Left Front | https://rp.widen.net/content/49kjuku5ad/jpeg/aprilaire-8463-8465-8466-thermostat-right-facing-photo.jpg |
| Image - Right | https://rp.widen.net/content/mljpd0pwez/jpeg/aprilaire-8400-series-thermostat-right-side-view-photo.jpg |
| Image - Right Front | https://rp.widen.net/content/mdsw8f5dn1/jpeg/aprilaire-8463-8465-8466-thermostat-left-facing-photo.jpg |
| Image - Top | https://rp.widen.net/content/ntbfowr15h/jpeg/aprilaire-8400-series-thermostat-top-view-photo.jpg |
| Image - Bottom | https://rp.widen.net/content/9kdecpncee/jpeg/aprilaire-8400-series-thermostat-bottom-view-photo.jpg |
| Image - Logo | http://images.salsify.com/image/upload/s--EvwPG7ie--/gtadtev3mzxxdvv6qxcxcr.png |
| PDF - Brochure | https://rp.widen.net/content/mvih0xzqdx/original/aprilaire-thermostat-consumer-brochure-5234.pdf |
| PDF - Manual - Installation | https://rp.widen.net/content/eeemonwvmh/original/aprilaire-8400-series-thermostat-installation-guide-B2204777.pdf |

| Attribute | Value |
|-------------------------|---|
| PDF - Manual - Owner | https://rp.widen.net/content/avo1wj8i9v/original/aprilaire-8400-series-thermostat-owners-manual-B2204776.pdf |
| PDF - Product Guide | https://rp.widen.net/content/vgnyoxmbji/original/aprilaire-wi-fi-thermostat-product-guide-5221.pdf |
| PDF - Product Guide All | https://rp.widen.net/content/4uiwz4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf |
| PDF - Spec Sheet | https://rp.widen.net/content/fl6ngbo2yt/original/aprilaire-8444-8446-8448-8463-8465-8466-8476-8476w-thermostat-sell-specification-sheet-5225.pdf |
| PDF - Warranty | https://rp.widen.net/content/925mweug7p/original/research-products-thermostats-warranty-policy.jpg |
| _ITEM_ | 8466 |