

E130

Attribute	Value
UPC-12	686720007071
Short Name	Dehumidifier, 130 Pints/Day
Packaging Hierarchy Level	Each
Pallet GTIN	10686720007078
Manufacturer	Research Products Corporation
Brand	AprilAire
Status	Active
Series	E Series
Product Category	Humidification>Dehumidifiers>Whole Home
Sales Region	USA and Canada
Launch Date	2021-04-01
UNSPS Code	40101902-Dehumidifiers
Master Title - Short	AprilAire E130 Dehumidifier – 130 PPD
Master Title - Long	AprilAire E130 Dehumidifier – 130 PPD for Crawl Spaces, Basements, Whole Houses up to 7,200 Sq. Ft., Part of the AprilAire Healthy Air System

Attribute	Value
Master Bullets - Trade	<p>IDEAL RELATIVE HUMIDITY – Achieve balanced humidity in the home which has been shown to reduce the incidence of respiratory infections and symptoms related to allergies and asthma by minimizing the formation of bacteria, viruses, fungi, and dust mites SIMPLE AND QUIET OPERATION – Simply set-it-and-forget-it. Dehumidification occurs until the RH set point is reached, then shuts off until periodic sampling determines a need for operation to resume. Top or end air discharge orientation is available and the 8' power cord allows for flexibility in placement. ENERGY EFFICIENT APPLICATION – The E130 Dehumidifier is ENERGY STAR® Most Efficient 2024 and the perfect solution for controlling humidity in the whole home while also protecting against structural damage from moisture, pests, and mold. Installation applications include main return to main return, dedicated return to main supply or A/C return, inlet and outlet ducted to dedicated grilles, and main return to main supply. BUILT-IN CONTROL – Includes built-in automatic digital control with display. Conveniently mount on the top or front of the unit. R32 REFRIGERANT – AprilAire Dehumidifiers contain R32 refrigerant ensuring a lower Global Warming Potential and the same superior product performance. A data label can be found on the outer pack as well as inner unit identifying the model as having R32. PART OF THE APRILAIRE HEALTHY AIR SYSTEM – The E130 Dehumidifier is a part of your one-stop, all purpose investment toward a greater quality of life. The AprilAire Healthy Air System (additional components sold separately) combines fresh air ventilation, air filtration, humidity control, radon control, zoning and IAQ control, and UVC sanitization to address all aspects of Indoor Air Quality in the home. INSTALL WITH CONFIDENCE – Designed and assembled in the USA utilizing US and global components from a leader in residential Indoor Air Quality solutions. Includes 5-year warranty. INCLUDES – E130 Dehumidifier, Installation Guide, Washable MERV 8 Filter, 8' Power Cord, Leveling Feet</p>

Attribute	Value
Master Long Description - Trade	<p>Achieving the ideal relative humidity (RH) within the home is crucial for fostering a healthy living environment. By maintaining balanced humidity levels, the formation of harmful bacteria, viruses, fungi, and dust mites is significantly minimized, promoting overall well-being. The E130 Dehumidifier offers a simple yet powerful operation method, allowing users to effortlessly set their desired RH level and let the device handle the rest. Once the set point is attained, the unit automatically ceases operation until periodic sampling detects the need for resuming dehumidification. Tailored for the whole home, the E130 removes 130 pints per day, regulates humidity (eliminating variations in the environment), and helps safeguard against structural deterioration caused by moisture, pests, and mold. It features a variety of options for ducted installations including main return to main return, dedicated return to main supply or A/C return, inlet and outlet ducted to dedicated grilles, and main return to main supply. Equipped with a built-in automatic digital control and display which can be positioned on the top or front of the unit, users can easily monitor and adjust settings as needed. And the R32 refrigerant ensures a lower Global Warming Potential while maintaining superior product performance, a testament to AprilAire's commitment to sustainability and innovation. Plus, the 1/2-inch EPS cabinet insulation dampens operating sounds to provide a quieter environment. Designed and assembled in the USA utilizing US and global components, this dehumidifier epitomizes quality craftsmanship and reliability with corrosion-resistant aluminum coils and is backed by a generous 5-year warranty, instilling confidence in its installation and operation for years to come.</p>

Attribute	Value
Master Bullets - Consumer	<p>IDEAL RELATIVE HUMIDITY – Achieve balanced humidity in your home which has been shown to reduce the incidence of respiratory infections and symptoms related to allergies and asthma by minimizing the formation of bacteria, viruses, fungi, and dust mites SIMPLE AND QUIET OPERATION – Simply set-it-and-forget-it. Dehumidification occurs until the RH set point is reached, then shuts off until periodic sampling determines a need for operation to resume. Top or end air discharge orientation is available and the 8' power cord allows for flexibility in placement. ENERGY EFFICIENT APPLICATION – The E130 Dehumidifier is ENERGY STAR® Most Efficient 2024 and the perfect solution for controlling humidity in the whole home while also protecting against structural damage from moisture, pests, and mold. Installation applications include main return to main return, dedicated return to main supply or A/C return, inlet and outlet ducted to dedicated grilles, and main return to main supply. BUILT-IN CONTROL – Includes built-in automatic digital control with display. Conveniently mount on the top or front of the unit. R32 REFRIGERANT – AprilAire Dehumidifiers contain R32 refrigerant ensuring a lower Global Warming Potential and the same superior product performance PART OF THE APRILAIRE HEALTHY AIR SYSTEM – The E130 Dehumidifier is a part of your one-stop, all purpose investment toward a greater quality of life. The AprilAire Healthy Air System (additional components sold separately) combines fresh air ventilation, air filtration, humidity control, radon control, zoning and IAQ control, and UVC sanitization to address all aspects of Indoor Air Quality in the home. INSTALL WITH CONFIDENCE – Designed and assembled in the USA utilizing US and global components from a leader in residential Indoor Air Quality solutions. Includes 5-year warranty. INCLUDES – E130 Dehumidifier, Installation Guide, Washable MERV 8 Filter, 8' Power Cord, Leveling Feet</p>

Attribute	Value
Master Long Description - Consumer	Achieving the ideal relative humidity (RH) within the home is crucial for fostering a healthy living environment. By maintaining balanced humidity levels, the formation of harmful bacteria, viruses, fungi, and dust mites is significantly minimized, promoting overall well-being. The E130 Dehumidifier offers a simple yet powerful operation method, allowing users to effortlessly set their desired RH level and let the device handle the rest. Once the set point is attained, the unit automatically ceases operation until periodic sampling detects the need for resuming dehumidification. Tailored for the whole home, the E130 removes 130 pints per day, regulates humidity (eliminating variations in the environment), and helps safeguard against structural deterioration caused by moisture, pests, and mold. It features a variety of options for ducted installations including main return to main return, dedicated return to main supply or A/C return, inlet and outlet ducted to dedicated grilles, and main return to main supply. Equipped with a built-in automatic digital control and display which can be positioned on the top or front of the unit, users can easily monitor and adjust settings as needed. And the R32 refrigerant ensures a lower Global Warming Potential while maintaining superior product performance, a testament to AprilAire's commitment to sustainability and innovation. Plus, the 1/2-inch EPS cabinet insulation dampens operating sounds to provide a quieter environment. Designed and assembled in the USA utilizing US and global components, this dehumidifier epitomizes quality craftsmanship and reliability with corrosion-resistant aluminum coils and is backed by a generous 5-year warranty, instilling confidence in its installation and operation for years to come.
Keywords	april air, aprilaire, basement, casters, control, crawl, crawl space, crawlspace, dehumidifier, dehumidify, home, humidity, space, whole, whole home, whole house
Warranty Length	5 Years
Special Features	Automatic Restart; Automatic Defrost; Automatic Moisture Removal; Automatic Shutoff; Continuous Draining; Overheat Protection; Washable Filter; Adjustable Humidity Control; Digital Display; Anti-Spill
Service Model Numbers	5444, 5445, 5446, 5447, 5449, 5450, 5451, 5452, 5454, 5455, 5456, 5457, 5571, 5572, 5573, 5574, 5941, 5955, 5956
Accessory Model Numbers	76, 4522, 4856, 4857, 5442, 5546, 5569, 5822, 5879, 5958, 6506, 70000010
Color	Gray
Shape	Rectangle
Materials	Steel - Galvanized; Plastic; Aluminum
Included Components	E130 Dehumidifier; 10-inch Outlet Duct Collar; 10-inch Inlet Duct Collar; Backdraft Damper; Torx Bit (T20); Leveling Feet; Screws; Barbed Drain Fitting; 8-foot Power Cord; Washable MERV 8 Filter; Installation and Operation Manual
Assembly Required (Y/N)	No

Attribute	Value
Filter Dimensions HxW (in) - Nominal	14x19
MERV Rating	8
Contaminants Removed	Airborne Particles; Airborne Allergens; Asthma Triggers; Dust; Mold Spores; Pet Dander; Pollen
Battery Required (Y/N)	No
Air Flow (CFM)	310
Amperage (A)	8.3
Voltage (V)	120VAC
Wattage (W)	996
Electrical Frequency (Hz)	60
Electrical Phase	1
Sound Level (dBA)	50
Min Max Coverage Area (sqft)	2300 7200
Min Max Operating Temperature (F)	50 104
Min Max Resistance at Airflow Volume	0.0@310 0.6@175
Dehumidification Capacity (ppd)	130
Refrigerant Amount (oz)	18
Power Source	Plug-In
Screen Size (in)	3.25
Serial Numbered (Y/N)	Yes
Certifications	ETL Listed; Energy Star; UL Certified
CA Prop 65 Warning Required (Y/N)	Yes
CA Prop 65 Warning Scope	Cancer and Reproductive Harm
CA Prop 65 Warning Statement	Cancer and Reproductive Harm- www.P65Warnings.ca.gov
Regulated Chemicals	R-32 Refrigerant
EPA Establishment Number	2539-WI-2
Assembled Length (in) - ACTUAL - Component 1	30
Assembled Width (in) - ACTUAL - Component 1	19.5

Attribute	Value
Assembled Height (in) - ACTUAL - Component 1	18.75
Assembled Weight (lb) - Component 1	98
Ship Length (in)	39
Ship Width (in)	24
Ship Height (in)	24
Ship Volume (cuft)	13.0
Ship Weight (lb)	130.00
MOQ/Order Multiple	1
Eaches per Pallet	4
Cases per Pallet Layer	2
Case Layers per Pallet	2.0
Pallet Stack Max	3
Country of Origin	USA
Harmonized Code	8479.89.1000
Freight Class	110
NMFC Code	114110
PALLET - Ship Length (in)	53
PALLET - Ship Width (in)	39
PALLET - Ship Height (in)	54
PALLET - Ship Weight (lb)	520.00
Image - Hero	https://rp.widen.net/content/qak07j1dp8/jpeg/aprilaire-e130-dehumidifier-hero-web-ready-photo.jpg
Image - Hero.1	https://rp.widen.net/content/d7cluc8znh/jpeg/aprilaire-e130-dehumidifier-hero-photo.jpg
Image - Front	https://rp.widen.net/content/ja9iefmjsh/jpeg/aprilaire-e130-dehumidifier-straight-on-photo.jpg
Image - Back	https://rp.widen.net/content/sdznagguvz/jpeg/aprilaire-e130-dehumidifier-back-facing-photo.jpg
Image - Left	https://rp.widen.net/content/fhr6mb4vej/jpeg/aprilaire-e130-dehumidifier-left-side-view-photo.jpg
Image - Left Front	https://rp.widen.net/content/k7acii7fcq/jpeg/aprilaire-e130-dehumidifier-right-facing-photo.jpg
Image - Right	https://rp.widen.net/content/gshoyb1dpx/jpeg/aprilaire-e130-dehumidifier-side-view-photo.jpg

Attribute	Value
Image - Top	https://rp.widen.net/content/u2piure7k4/jpeg/aprilaire-e130-dehumidifier-to-p-view-photo.jpg
Image - Dimensions	https://rp.widen.net/content/6kqpkkq9tl/jpeg/aprilaire-e130-dehumidifier-size-measurements-web-ready-photo.jpg
Image - Product Interior	https://rp.widen.net/content/zooo5yg2bx/jpeg/aprilaire-e-series-dehumidifier-corrosion-resistant-coils-web-ready-photo.jpg
Image - In Use	https://rp.widen.net/content/srafwfyvhz/jpeg/aprilaire-e130-dehumidifier-control-on-front-straight-on-photo.jpg
Image - Installed	https://rp.widen.net/content/elpmjsiptn/jpeg/aprilaire-e-series-dehumidifier-ideal-application-web-ready-photo.jpg
Image - Marketing Tile	https://rp.widen.net/content/czoggi3xg0/jpeg/aprilaire-e-series-dehumidifier-benefits-graphic.jpg
Image - Marketing Tile.1	https://rp.widen.net/content/deskpybshq/jpeg/aprilaire-logo-transition-graphic.jpg
Image - Marketing Tile.2	https://rp.widen.net/content/rs9jczfql2/jpeg/aprilaire-e-series-dehumidifier-built-in-control-web-ready-photo.jpg
Image - Marketing Tile.3	https://rp.widen.net/content/ajtrshbna7/jpeg/aprilaire-dehumidifier-installation-web-ready-photo.jpg
Image - Marketing Tile.4	https://rp.widen.net/content/hrft4qkwug/jpeg/aprilaire-dehumidifier-made-in-the-usa-web-ready-photo.jpg
Image - Marketing Tile.5	https://rp.widen.net/content/pen5xrsxmh/jpeg/aprilaire-5569-dehumidifier-filter-web-ready-photo.jpg
Image - Marketing Tile.6	https://rp.widen.net/content/duv4kumtbm/jpeg/aprilaire-e130-dehumidifier-130-pints-per-day-web-ready-photo.jpg
Image - Marketing Tile.7	https://rp.widen.net/content/vmfдавdvsc/jpeg/aprilaire-e130-dehumidifier-box-contents-web-ready-photo.jpg
Image - Marketing Tile.8	https://rp.widen.net/content/yhn6bnscnk/jpeg/aprilaire-e130-dehumidifier-no-tray-web-ready-photo.jpg
Image - Lifestyle	https://rp.widen.net/content/yclbtplpyp/jpeg/aprilaire-dehumidifier-minimize-virus-survival-rates-web-ready-graphic.jpg
Image - Lifestyle.1	https://rp.widen.net/content/1swoe4c4oe/jpeg/aprilaire-e130w-dehumidifier-coverage-web-ready-lifestyle-photo.jpg
Image - Logo	http://images.salsify.com/image/upload/s--EvwPG7ie--/gtadtev3mzxxdwb6qxcx.png
Illustration - Install Applications	https://rp.widen.net/content/6p3dcsfyge/jpeg/aprilaire-dehumidifier-broad-range-of-ducted-applications-web-ready-graphic.jpg
PDF - Brochure	https://rp.widen.net/content/4rh8nl4ag4/original/aprilaire-whole-home-dehumidifier-consumer-brochure-982.pdf
PDF - Manual - Installation	https://rp.widen.net/content/6sbtgrgzdg/original/aprilaire-e130-e130c-dehumidifier-installation-and-owners-manual-10020795.pdf

Attribute	Value
PDF - Product Guide	https://rp.widen.net/content/qwiz5iqbib/original/aprilaire-dehumidifier-product-guide-981.pdf
PDF - Product Guide All	https://rp.widen.net/content/4uizw4kh5l/original/aprilaire-all-products-specification-reference-guide-2210.pdf
PDF - Spec Sheet	https://rp.widen.net/content/rztrswyhyx/original/aprilaire-e130-dehumidifier-specification-sheet-963.pdf
PDF - Submittal Sheet	https://rp.widen.net/content/v3lrtw3blu/original/aprilaire-e130-dehumidifier-submittal-sheet-sub-E130.pdf
PDF - Warranty	https://rp.widen.net/content/ipm6idaaxt/original/aprilaire-dehumidifier-limited-warranty-policy.pdf
PDF - Parts List	https://rp.widen.net/content/xfidgk2kkv/original/aprilaire-dehumidifier-parts-list-810B.pdf
PDF - SDS	http://images.salsify.com/image/upload/s--nY9Ly3CE--/iw6rrcnwoibiwlasizjh.pdf
Video - Commercial	https://rp.widen.net/content/bmwrhv1s1s/original/aprilaire-dehumidifier-humidity-long-form-video.mp4
Video - Commercial.1	https://rp.widen.net/content/rt4uorvr2b/original/aprilaire-dehumidifier-dehumidification-15-second-video.mp4
Video - Commercial - YouTube URL	https://youtu.be/n6N9bbAxGGA
Video - Commercial - YouTube URL.1	https://youtu.be/qBQV_1rCQqY
Video - Product Series	https://rp.widen.net/content/xt0ovckbqa/original/aprilaire-dehumidifier-maintenance-instructional-video.mp4
Video - Product Series - YouTube URL	https://youtu.be/q453xJES9Q
ITEM	E130