

# AWST36LU1405

Attribute	Value
<b>Brand</b>	Corporate
<b>ProductCategory</b>	Unitary
<b>ProductClassPIM</b>	Air Handler
<b>System Family</b>	Unitary Split System
<b>Function Category</b>	Air Handler
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	AWST_410
<b>Series Name</b>	AWST
<b>Short Description</b>	AWST Air Handler, Multi-Speed Motor, Ton
<b>Family Description</b>	Wall-Mount Air Handler 1½ to 3 Tons
<b>Product Benefits</b>	All Aluminum Coil;Improved Reliability and Quality;Factory TXV Installed for Quicker Install;More Efficient Refrigerant Metering
<b>Product Features - (Standard)</b>	1. AWST Models: Equipped wit a fully adjustable TXV;2. Direct-drive, multi-speed motors allows air volume variation for heating/cooling;3. Multi-speed ECM: AWST 31, 32, 37;4. Sequence-controlled, rust-resistant nickel chromium heating elements of 3, 5, 8, and 10 kW;5. Aluminum tubing coils on all models;6. Factory-installed pull-type disconnect;7. Thermoplastic drain pan with bottom primary and secondary drain connections ;8. AHRI Certified and ETL Listed
<b>Cabinet Features</b>	1. Cabinet air leakage less than 2.0% at 1.0 inch H2O when tested in accordance with ASHRAE standard 193;2. Cabinet air leakage less than 1.4% at 0.5 inch H2O when tested in accordance with ASHRAE standard 193;3. Built-in filter rack (filter included);4. Large chassis (2-1/2 and 3 ton units), front return only;5. Small chassis (1-1/2 and 2 ton units), front or bottom return;6. Wall-hanging bracket provided
<b>Installation Type</b>	Ducted Wall Mounted
<b>Communication Feature</b>	No
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Universal Product Code (UPC)</b>	663051635258
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	4

Attribute	Value
Country of Origin	Mexico
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	AWST Ducted Wall Mounted Air Handler, Multi-Speed Motor, 3 Ton, 24 in Cabinet with TXV Expansion,
ProductDescriptionPIM	3.0 Ton, Wall-Mount, Unpainted, Air Handler
CoolingCapacityNominal	36000 Btu/H
Producer	No
ProductIDBarcode	AWST36LU1405
IndoorFLA	3.8 A
MaxOvercurrentProtection	30/30 A
MaxVoltage	253 V
MinCircuitAmps	26/29.8 A
MinVoltage	197 V
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	1120 ft <sup>3</sup> /min
DimensionsBlowerDiameter	10 in
DimensionsBlowerWidth	8 in
DimensionsUnitDepth	21 in
DimensionsUnitHeight	36 in
DimensionsUnitWidth	24 in
DimensionsWheelDiameter	10 in
DimensionsWheelWidth	8 in
EvapCoilFaceArea	481.44
EvapMotorRPM	1200 r/min
ExpansionDevice	TXV
MotorSpeedType	Multi-Speed

Attribute	Value
NumberOfSpeeds	5
WeightUnit	109 lb
BlowerMotorHorsePower	1/2 metric hp
TonnageRange	3
FactoryStdRefrigerantCharge	0.5 oz
PipeSizeGas	5/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	25.00 in
Dimensions - (Case Height)	39.00 in
Dimensions - (Case Width)	22.50 in
Dimensions - (Distribution Unit Depth)	25 in
Dimensions - (Distribution Unit Height)	39 in
Dimensions - (Distribution Unit Width)	22.5 in
Dimensions - (Pallet Depth)	52.00 in
Dimensions - (Pallet Height)	44.00 in
Dimensions - (Pallet Width)	46.00 in
Dimensions - (Shipping Unit Depth)	25.00 in
Dimensions - (Shipping Unit Height)	39.00 in
Dimensions - (Shipping Unit Width)	22.50 in
Distribution Shipping Volume - (Unit)	21937.5 in <sup>3</sup>
Shipping Volume - (Unit)	21937.500 in <sup>3</sup>

Attribute	Value
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	21937.500 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	21937.5 in <sup>3</sup>
<b>Weight - (Case)</b>	107.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	107 lb
<b>Weight - (Shipping Unit)</b>	107.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Residential Split System/Air Handler
<b>Release Status</b>	Active