

# CAPF3743C6

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPF
Series Name	CAPF
Short Description	CAPF Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A
Family Description	Cased Upflow/Downflow A-Coil Painted
Product Features - (Standard)	1. All-Aluminum evaporator coil;2. Optimized for use with R-410A refrigerant;3. Check flowrator for cooling and heat pump applications;4. Vertical application;5. 21" depth for easier attic access;6. Galvanized, leather grain-embossed finish;7. Rust resistant, thermoplastic drain pans featuring a low water-retention design;8. AHRI certified;9. ETL Listed
Cabinet Features	1. Twenty one inch depth for easier attic access;2. Split seam front for easy access;3. Foil-faced insulation covers the internal casing to reduce cabinet condensation;4. Galvanized, leather grain-embossed finish
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	602 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051540972
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA

Attribute	Value
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAPF Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.03.5 Ton, 21 in Cabinet with Flowrator Expansion, R-22/R-410A
ProductDescriptionPIM	3.5 Ton, Cased Painted Upflow/Downflow, Coil
CoolingCapacityNominal	42000 Btu/H
Producer	Yes
ProductIDBarcode	CAPF3743C6
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	21 in
ExpansionDevice	Flowrator
HeatExchangerType	Air Cooled
WeightUnit	63 lb
TonnageRange	3.0;3.5
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-22/R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.00 in
Dimensions - (Case Height)	32.75 in
Dimensions - (Case Width)	23.50 in

Attribute	Value
<b>Dimensions - (Distribution Unit Depth)</b>	26 in
<b>Dimensions - (Distribution Unit Height)</b>	32.75 in
<b>Dimensions - (Distribution Unit Width)</b>	23.5 in
<b>Dimensions - (Pallet Depth)</b>	54.00 in
<b>Dimensions - (Pallet Height)</b>	70.00 in
<b>Dimensions - (Pallet Width)</b>	50.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	26.00 in
<b>Dimensions - (Shipping Unit Height)</b>	32.75 in
<b>Dimensions - (Shipping Unit Width)</b>	23.50 in
<b>Distribution Shipping Volume - (Unit)</b>	20010.25 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	20010.250 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	20010.250 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	20010.25 in <sup>3</sup>
<b>Weight - (Case)</b>	65.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	65 lb
<b>Weight - (Shipping Unit)</b>	65.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Unit Replacement Warranty - Multi-Family</b>	10 YEARS UNIT REPLACEMENT
<b>Registered Unit Replacement Warranty - Commercial</b>	5 YEARS UNIT REPLACEMENT

Attribute	Value
<b>Registered Unit Replacement Warranty - Residential</b>	10 YEARS UNIT REPLACEMENT
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Unit Replacement Warranty - Commercial</b>	5 YEARS UNIT REPLACEMENT
<b>Standard Unit Replacement Warranty - Multi-Family</b>	5 YEARS UNIT REPLACEMENT
<b>Standard Unit Replacement Warranty- Residential</b>	5 YEARS UNIT REPLACEMENT
<b>Ecomm Path Display</b>	Equipment/Residential Split System/Coil
<b>Release Status</b>	Obsolete