

CAPF3743D6

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAPF
Series Name	CAPF
Short Description	CAPF Evaporator Coil, Upflow/Downflow, Ton, R-22/R-410A
Family Description	Cased Upflow/Downflow A-Coil Painted
Product Features - (Standard)	1. All-Aluminum evaporator coil;2. Optimized for use with R-410A refrigerant;3. Check flowrator for cooling and heat pump applications;4. Vertical application;5. 21" depth for easier attic access;6. Galvanized, leather grain-embossed finish;7. Rust resistant, thermoplastic drain pans featuring a low water-retention design;8. AHRI certified;9. ETL Listed
Cabinet Features	1. Twenty one inch depth for easier attic access;2. Split seam front for easy access;3. Foil-faced insulation covers the internal casing to reduce cabinet condensation;4. Galvanized, leather grain-embossed finish
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Min Advertised Price	610 \$
Serialized Flag	Yes
Universal Product Code (UPC)	663051540989
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	USA

Attribute	Value
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00
Long Description	CAPF Cased Aluminum Evaporator Coil, Upflow/Downflow, 3.03.5 Ton, 24-1/2 in Cabinet with Flowrator Expansion, R-22/R-410A
ProductDescriptionPIM	3.5 Ton, Cased Painted Upflow/Downflow, Coil
CoolingCapacityNominal	42000 Btu/H
Producer	Yes
ProductIDBarcode	CAPF3743D6
PowerFrequency	60 Hz
PowerPhase	1 Ph
CabinetFinish	Painted
CasedvsUncased	Cased
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	24-1/2 in
ExpansionDevice	Flowrator
HeatExchangerType	Air Cooled
WeightUnit	75 lb
TonnageRange	3.0;3.5
CondensateDrainOutlet	3/4 in
PipeSizeGas	7/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-22/R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.75 in
Dimensions - (Case Height)	32.25 in
Dimensions - (Case Width)	26.00 in

Attribute	Value
Dimensions - (Distribution Unit Depth)	26.75 in
Dimensions - (Distribution Unit Height)	32.25 in
Dimensions - (Distribution Unit Width)	26 in
Dimensions - (Pallet Depth)	55.00 in
Dimensions - (Pallet Height)	69.00 in
Dimensions - (Pallet Width)	54.00 in
Dimensions - (Shipping Unit Depth)	26.75 in
Dimensions - (Shipping Unit Height)	32.25 in
Dimensions - (Shipping Unit Width)	26.00 in
Distribution Shipping Volume - (Unit)	22429.875 in ³
Shipping Volume - (Unit)	22429.875 in ³
Truck Factor	0
Volume - (Case)	22429.875 in ³
Volume - (Distribution Shipping Unit)	22429.875 in ³
Weight - (Case)	75.000 lb
Weight - (Distribution Shipping Unit)	75 lb
Weight - (Shipping Unit)	75.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Registered Unit Replacement Warranty - Multi-Family	10 YEARS UNIT REPLACEMENT
Registered Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT

Attribute	Value
Registered Unit Replacement Warranty - Residential	10 YEARS UNIT REPLACEMENT
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Unit Replacement Warranty - Commercial	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty - Multi-Family	5 YEARS UNIT REPLACEMENT
Standard Unit Replacement Warranty- Residential	5 YEARS UNIT REPLACEMENT
Ecomm Path Display	Equipment/Residential Split System/Coil
Release Status	Obsolete