

# CAUTA2422B3

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Coil
System Family	Unitary Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CAUTA_32
Series Name	CAUTA
Short Description	CAUTA Evaporator Coil, Upflow/Downflow, Ton, R-32
Family Description	CAUTA Uncased Coil
Product Features - (Standard)	All-Aluminum evaporator coil;Optimized for use with R-32 refrigerant including circuits and manifolds;R-32 sensor designed for the life span of the coil;Factory-installed thermal expansion valve for cooling applications;Standardized copper suction tube stub length;Foil-faced insulation covers the internal casing to reduce cabinet condensation;Rust resistant, thermoplastic drain pans featuring a low water-retention design;DecaBDE-free thermoplastic drain pan with secondary drain connections;Drain pan rails designed to remove and reposition coils with ease without compromising structural integrity;UV-resistant drain pan;AHRI certified;ETL listed
Installation Type	Ducted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051729315
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	USA
US HTS Code	8415.90.8020
Canadian HTS Code	8415.90.90.00

Attribute	Value
<b>Long Description</b>	CAUTA Uncased Evaporator Coil, Upflow/Downflow, 2 Ton, 16-1/2 in Cabinet with TXV Expansion, R-32
<b>ProductDescriptionPIM</b>	2T Uncased R-32 Coil with TXV
<b>Producer</b>	Yes
<b>ProductIDBarcode</b>	CAUTA2422B3
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>CabinetFinish</b>	Unpainted
<b>CasedvsUncased</b>	Uncased
<b>DimensionsUnitDepth</b>	21.3 in
<b>DimensionsUnitHeight</b>	18.3 in
<b>DimensionsUnitWidth</b>	16-1/2 in
<b>ExpansionDevice</b>	TXV
<b>TonnageRange</b>	2
<b>CondensateDrainOutlet</b>	3/4 in
<b>PipeSizeGas</b>	3/4 in
<b>PipeSizeLiquid</b>	3/8 in
<b>RefrigerantType</b>	R-32
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	26.00 in
<b>Dimensions - (Case Height)</b>	24.50 in
<b>Dimensions - (Case Width)</b>	20.00 in
<b>Dimensions - (Distribution Unit Depth)</b>	26 in
<b>Dimensions - (Distribution Unit Height)</b>	24.5 in
<b>Dimensions - (Distribution Unit Width)</b>	20 in

Attribute	Value
<b>Dimensions - (Pallet Depth)</b>	54.00 in
<b>Dimensions - (Pallet Height)</b>	78.00 in
<b>Dimensions - (Pallet Width)</b>	41.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	26.00 in
<b>Dimensions - (Shipping Unit Height)</b>	24.50 in
<b>Dimensions - (Shipping Unit Width)</b>	20.00 in
<b>Distribution Shipping Volume - (Unit)</b>	12740 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	12740.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	12740.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	12740 in <sup>3</sup>
<b>Weight - (Case)</b>	28.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	28 lb
<b>Weight - (Shipping Unit)</b>	28.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Unit Replacement Warranty - Multi-Family</b>	10 YEARS UNIT REPLACEMENT
<b>Registered Unit Replacement Warranty - Commercial</b>	5 YEARS UNIT REPLACEMENT
<b>Registered Unit Replacement Warranty - Residential</b>	10 YEARS UNIT REPLACEMENT
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS

Attribute	Value
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Unit Replacement Warranty - Commercial</b>	5 YEARS UNIT REPLACEMENT
<b>Standard Unit Replacement Warranty - Multi-Family</b>	5 YEARS UNIT REPLACEMENT
<b>Standard Unit Replacement Warranty- Residential</b>	5 YEARS UNIT REPLACEMENT
<b>Ecomm Path Display</b>	Equipment/Residential Split System/Coil
<b>Release Status</b>	Active