

# CTX09AVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Multi-Split Fan Coil
System Family	Multi-Split
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	CTX_AVJU9
Series Name	Multi-Split Fan Coil Indoor
Short Description	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
Family Description	R-410a Multi Zone Indoor 9K & 12K
Product Features - (Standard)	Auto-Swing (Up and Down);Comfort Airflow Mode;Auto Fan Speed;Indoor Unit as Quiet as 19dB;Hot Start Function - Heating without cold air draft;Dry Mode;ECONO mode;Titanium apatite deodorizing filter;Wipe-clean Flat front Panel;12 Year Warranty;Easy maintance with removable drain-pan
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Mexico
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	CTX Multi only Wall Mount 9K Indoor R-410a
Producer	No
ProductIDBarcode	CTX09AVJU9

Attribute	Value
<b>InterConnectingWires</b>	L1, L2, L3, Ground
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208/230 V
<b>AirFlowRateHighHeating</b>	385 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	230 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	230 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	272 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	304 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowCooling</b>	166 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowHeating</b>	194 ft <sup>3</sup> /min
<b>DimensionsUnitDepth</b>	8-3/4 in
<b>DimensionsUnitHeight</b>	11-1/4 in
<b>DimensionsUnitWidth</b>	30-5/16 in
<b>SoundPressureHighCooling</b>	43 dBA
<b>SoundPressureHighHeating</b>	41 dBA
<b>SoundPressureLowCooling</b>	31 dBA
<b>SoundPressureLowHeating</b>	28 dBA
<b>SoundPressureMediumCooling</b>	35 dBA
<b>SoundPressureMediumHeating</b>	35 dBA
<b>SoundPressureSuperLowCooling</b>	24 dBA
<b>SoundPressureSuperLowHeating</b>	25 dBA
<b>WeightUnit</b>	19 lb
<b>CondensateDrainOutlet</b>	5/8 in
<b>PipeSizeGas</b>	3/8 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes

Attribute	Value
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	32.50 in
<b>Dimensions - (Case Height)</b>	13.00 in
<b>Dimensions - (Case Width)</b>	14.00 in
<b>Dimensions - (Distribution Unit Depth)</b>	32.5 in
<b>Dimensions - (Distribution Unit Height)</b>	13 in
<b>Dimensions - (Distribution Unit Width)</b>	14 in
<b>Dimensions - (Pallet Depth)</b>	48.00 in
<b>Dimensions - (Pallet Height)</b>	30.00 in
<b>Dimensions - (Pallet Width)</b>	45.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	32.50 in
<b>Dimensions - (Shipping Unit Height)</b>	13.00 in
<b>Dimensions - (Shipping Unit Width)</b>	14.00 in
<b>Distribution Shipping Volume - (Unit)</b>	5915 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	5915.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	5915.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	5915 in <sup>3</sup>
<b>Weight - (Case)</b>	29.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	29 lb
<b>Weight - (Shipping Unit)</b>	29.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS

Attribute	Value
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Release Status</b>	Obsolete