

DX3SEA3640

Attribute	Value
Brand	Daikin
ProductCategory	Light Commercial
ProductClassPIM	Light Commercial Split Air Conditioner
System Family	Light Commercial Split System
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Outdoor
Market Type	Light Commercial
Product Family	DX3SE_4
Series Name	DX3SE
Short Description	Light Commercial Split Air Conditioner
Product Benefits	Energy-efficient scroll compressor ;Copper tube/enhanced aluminum fin coil ;Factory-installed filter drier ;AHRI Certified
Product Features - (Standard)	Service valves with sweat connections and easy-access gauge ports. ;Copper tube/enhanced aluminum fin coil. ;Match systems have a minimum SEER2 rating of 13.4;Energy-efficient compressor;Contactor with lug connection
Cabinet Features	Innovative louvered sound control top design. ;Steel louver coil guard. ;Heavy-guage galvanized-steel cabinet.;Top and side maintenance access.;single-panel access to controls with space provided for field-installed accessories
Export Control Classification Number - (ECCN)	EAR99
ISO Certified	Yes
Universal Product Code (UPC)	663051682634
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	2
Country of Origin	USA
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	13.4 SEER2 AC 460V 3PH, 3 TON

Attribute	Value
Producer	Yes
ProductIDBarcode	DX3SEA3640
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	65 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
CompressorLRA	43.4 A
CompressorRLA	5.8 A
MaxOvercurrentProtection	15 A
MaxVoltage	506 V
MinVoltage	414 V
PowerFrequency	60 Hz
PowerPhase	3 Ph
PowerVoltage	460 V
CompressorStages	Single Stage
CompressorType	Scroll
DimensionsUnitDepth	29 in
DimensionsUnitHeight	32.5 in
DimensionsUnitWidth	29 in
SoundPressureHighCooling	73 dBA
AdditionalRefrigerantCharge	0.6 lb
FactoryStdRefrigerantCharge	71 oz
MaxPipeLengthTotal	79 ft
MaxPipeLengthVertical	50 ft
RefrigerantPreChargedLineLength	15 ft

Attribute	Value
RefrigerantType	R-410A
ValveConnectionType	Sweat
ValveSizeLiquidOD	3/8 in
ValveSizeSuctionOD	3/4 in
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	30.50 in
Dimensions - (Case Height)	34.50 in
Dimensions - (Case Width)	30.00 in
Dimensions - (Distribution Unit Depth)	30.5 in
Dimensions - (Distribution Unit Height)	34.5 in
Dimensions - (Distribution Unit Width)	30 in
Dimensions - (Pallet Depth)	30.50 in
Dimensions - (Pallet Height)	34.50 in
Dimensions - (Pallet Width)	60.00 in
Dimensions - (Shipping Unit Depth)	30.50 in
Dimensions - (Shipping Unit Height)	34.50 in
Dimensions - (Shipping Unit Width)	30.00 in
Distribution Shipping Volume - (Unit)	31567.5 in ³
Shipping Volume - (Unit)	31567.500 in ³
Truck Factor	0
Volume - (Case)	31567.500 in ³
Volume - (Distribution Shipping Unit)	31567.5 in ³
Weight - (Case)	164.000 lb

Attribute	Value
Weight - (Distribution Shipping Unit)	164 lb
Weight - (Shipping Unit)	164.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Light Commercial Split System/Light Commercial Split Air Conditioner
Release Status	Hidden Sellable