

FAA24AAVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Sky Air Fan Coil
System Family	Sky Air
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Light Commercial
Product Family	FAA_AAVJU
Short Description	SkyAir Indoor Fan Coil
Family Description	R32 SkyAir 1.5 - 2.0 Ton Wall Mounted Unit
Product Benefits	10 year limited parts and compressor warranty
Product Features - (Standard)	Easy to clean front panel with a flat smooth surface that can be removed for additional cleaning;Up-down and left-right airflow direction control;Efficient operation and year-round energy savings through Smart Variable Refrigerant Temperature (VRT) technology;New D4 Communication protocol which unlocks remote access to units through Daikin Hero;Factory-installed integrated refrigerant leak sensor;Dispersion Mode: Higher airflow rate for leak mitigation through circulation;Terminal for connection, via optional relay PCB, to external alarms and monitoring systems
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051991835
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	R-32 SKYAIR WALL MOUNTED 2.0T
Producer	No

Attribute	Value
ProductIDBarcode	FAA24AAVJU
CurrentType	AC
FuseSize	15 A
InterConnectingWires	T1, T2
MaxOvercurrentProtection	15 A
MinCircuitAmps	0.6 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	670 ft ³ /min
AirFlowRateHighHeating	670 ft ³ /min
AirFlowRateLowCooling	476 ft ³ /min
AirFlowRateLowHeating	476 ft ³ /min
AirFlowRateMediumCooling	565 ft ³ /min
AirFlowRateMediumHeating	565 ft ³ /min
DimensionsUnitDepth	9-3/4 in
DimensionsUnitHeight	11-5/8 in
DimensionsUnitWidth	44-1/8 in
SoundPressureHighCooling	45 dBA
SoundPressureHighHeating	45 dBA
SoundPressureLowCooling	35 dBA
SoundPressureLowHeating	35 dBA
SoundPressureMediumCooling	40 dBA
SoundPressureMediumHeating	40 dBA
WeightUnit	35.3 lb
CoolingInputPower	2.1 kW
CondensateDrainOutlet	11/16 in
PipeSizeGas	5/8 in

Attribute	Value
PipeSizeLiquid	3/8 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	47.00 in
Dimensions - (Case Height)	15.00 in
Dimensions - (Case Width)	15.50 in
Dimensions - (Distribution Unit Depth)	47 in
Dimensions - (Distribution Unit Height)	15 in
Dimensions - (Distribution Unit Width)	15.5 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	65.00 in
Dimensions - (Pallet Width)	48.00 in
Dimensions - (Shipping Unit Depth)	47.00 in
Dimensions - (Shipping Unit Height)	15.00 in
Dimensions - (Shipping Unit Width)	15.50 in
Shipping Volume - (Unit)	10927.500 in ³
Truck Factor	0
Volume - (Case)	10927.500 in ³
Volume - (Distribution Shipping Unit)	10927.5 in ³
Weight - (Case)	43.000 lb
Weight - (Distribution Shipping Unit)	43 lb
Weight - (Shipping Unit)	43.000 lb
Release Status	Active