

FBA48AAVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Sky Air Fan Coil
System Family	Sky Air
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Light Commercial
Product Family	FBA_AAVJU
Series Name	FBA
Short Description	SkyAir Indoor Fan Coil
Family Description	HSP R-32 SkyAir 1.5 - 4.0 Ton DC Ducted Unit
Product Benefits	Up to 0.8" Static;Able to integrate with DZK;Economizer Control Logic;MERV 13 Filter Options
Product Features - (Standard)	10 Year parts and compressor Warranty;DC Fan Motor;Minimal Discharge Air Temperature - mitigate risk of condensation;Auto Adjusting Airflow at commissioning based on external static pressure;Ease of Maintenance with complete service access from below;Built in Refrigerant Detection System with Dispersion Mode
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	R-32 SkyAir Ducted Consealed Ceiling Unit
ProductDescriptionPIM	R-32 4.0 TON HSP DUCTED CONCEALED

Attribute	Value
AHRIReferenceNumber	217175224
Producer	No
ProductIDBarcode	FBA48AAVJU
CurrentType	AC
FuseSize	15 A
InterConnectingWires	T1, T2
MaxOvercurrentProtection	15 A
MinCircuitAmps	3.6 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	1377 ft ³ /min
AirFlowRateHighHeating	1377 ft ³ /min
AirFlowRateLowCooling	918 ft ³ /min
AirFlowRateLowHeating	918 ft ³ /min
AirFlowRateMediumCooling	1130 ft ³ /min
AirFlowRateMediumHeating	1130 ft ³ /min
DimensionsUnitDepth	31-1/2 in
DimensionsUnitHeight	9-11/16 in
DimensionsUnitWidth	55-1/8 in
SoundPressureHighCooling	48 dBA
SoundPressureHighHeating	48 dBA
SoundPressureLowCooling	39 dBA
SoundPressureLowHeating	39 dBA
SoundPressureMediumCooling	44 dBA
SoundPressureMediumHeating	44 dBA
WeightUnit	106 lb
CoolingCapacityRated	48000 Btu/H

Attribute	Value
CoolingCapacitySensible	36100 Btu/H
CoolingInputPower	5.39 kW
HeatingCapacityRated	54000 Btu/H
Tonnage	4
CondensateDrainOutlet	1-1/4 in
PipeSizeGas	5/8 in
PipeSizeLiquid	3/8 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	63.00 in
Dimensions - (Case Height)	34.50 in
Dimensions - (Case Width)	12.00 in
Dimensions - (Distribution Unit Depth)	63 in
Dimensions - (Distribution Unit Height)	34.5 in
Dimensions - (Distribution Unit Width)	12 in
Dimensions - (Pallet Depth)	70.00 in
Dimensions - (Pallet Height)	74.00 in
Dimensions - (Pallet Width)	36.00 in
Dimensions - (Shipping Unit Depth)	63.00 in
Dimensions - (Shipping Unit Height)	34.50 in
Dimensions - (Shipping Unit Width)	12.00 in
Distribution Shipping Volume - (Unit)	26082 in ³
Shipping Volume - (Unit)	26082.000 in ³

Attribute	Value
Truck Factor	0
Volume - (Case)	26082.000 in ³
Volume - (Distribution Shipping Unit)	26082 in ³
Weight - (Case)	116.500 lb
Weight - (Distribution Shipping Unit)	116.5 lb
Weight - (Shipping Unit)	116.500 lb
Registered Parts Warranty - Commercial	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Release Status	Active