

# FDMQ15WVJU9

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Multi-Split Fan Coil
<b>System Family</b>	Multi-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FDMQ_WVJU9
<b>Series Name</b>	FDMQ
<b>Short Description</b>	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
<b>Family Description</b>	0.75 - 2.0 Ton FDMQ Ducted Concealed Indoor Unit
<b>Product Benefits</b>	12 year limited parts and compressor warranty with online registration
<b>Product Features - (Standard)</b>	External Static Pressure .6 inWG
<b>Installation Type</b>	Ducted
<b>Communication Feature</b>	No
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	8
<b>Country of Origin</b>	Thailand
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	1-1/4 Ton FDMQ Ducted Concealed Unit
<b>Producer</b>	No
<b>ProductIDBarcode</b>	FDMQ15WVJU9

Attribute	Value
<b>RatedCoolingConditionAmbientDB</b>	95 °F
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>RatedHeatingConditionAmbientDB</b>	47 °F
<b>RatedHeatingConditionAmbientWB</b>	43 °F
<b>RatedHeatingConditionRoomDB</b>	70 °F
<b>RatedHeatingConditionRoomWB</b>	60 °F
<b>InterConnectingWires</b>	See Outdoor Unit for Electrical Specs
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208-230 V
<b>AirFlowRateHighCooling</b>	448 ft <sup>3</sup> /min
<b>AirFlowRateHighHeating</b>	448 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	350 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	350 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	399 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	399 ft <sup>3</sup> /min
<b>DimensionsUnitDepth</b>	31-1/2 in
<b>DimensionsUnitHeight</b>	9-5/8 in
<b>DimensionsUnitWidth</b>	39-3/8 in
<b>ExternalStaticPressureMax</b>	0.6
<b>HeatExchangerType</b>	Air Cooled
<b>SoundPressureHighCooling</b>	34 dBA
<b>SoundPressureHighHeating</b>	34 dBA
<b>WeightUnit</b>	77 lb

Attribute	Value
<b>CoolingCapacityRated</b>	14400 Btu/H
<b>HeatingCapacityRated</b>	18000 Btu/H
<b>Tonnage</b>	1.25
<b>PipeSizeGas</b>	1/2 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RatedHeightDifference</b>	0 ft
<b>RatedPipingLength</b>	25 ft
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	47.50 in
<b>Dimensions - (Case Height)</b>	34.50 in
<b>Dimensions - (Case Width)</b>	10.50 in
<b>Dimensions - (Distribution Unit Depth)</b>	47.5 in
<b>Dimensions - (Distribution Unit Height)</b>	34.5 in
<b>Dimensions - (Distribution Unit Width)</b>	10.5 in
<b>Dimensions - (Pallet Depth)</b>	53.00 in
<b>Dimensions - (Pallet Height)</b>	74.00 in
<b>Dimensions - (Pallet Width)</b>	44.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	47.50 in
<b>Dimensions - (Shipping Unit Height)</b>	34.50 in
<b>Dimensions - (Shipping Unit Width)</b>	10.50 in
<b>Distribution Shipping Volume - (Unit)</b>	17206.875 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	17206.875 in <sup>3</sup>

Attribute	Value
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	17206.875 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	17206.875 in <sup>3</sup>
<b>Weight - (Case)</b>	88.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	88 lb
<b>Weight - (Shipping Unit)</b>	88.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Multi-Split/Multi-Split Fan Coil
<b>Release Status</b>	Obsolete