

# FFQ15W2VJU8

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Multi-Split Fan Coil
<b>System Family</b>	Multi-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FFQ_W2VJU8
<b>Series Name</b>	Multi-Split Fan Coil Indoor
<b>Short Description</b>	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
<b>Family Description</b>	0.75 - 1.5 Ton Vista Ceiling Cassette
<b>Product Benefits</b>	"12 year limited parts and compressor warranty with online registration 5 year limited parts warranty for commercial applications Optional Sensor Panel (Occupancy Sensor, Comfort Airflow, Floor Sensor) BRYQ60A2W"
<b>Product Features - (Standard)</b>	"Intelligent eye occupancy sensor (optional) Hot start technology Auto-restart (after power failure) Weekly Timer (Up to 4 events per day) Comfort Airflow Quiet operation 2,3, or 4-way airflow pattern Built-in condensate pump (up to 22") Fresh air intake knockout Individual Flap Control"
<b>Installation Type</b>	Ceiling Suspended
<b>Communication Feature</b>	No
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	20
<b>Country of Origin</b>	Thailand

Attribute	Value
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	VISTA 1.25 Ton 2 X 2 Ceiling Cassette
<b>Producer</b>	No
<b>ProductIDBarcode</b>	FFQ15W2VJU8
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208-230 V
<b>AirFlowRateHighCooling</b>	420 ft <sup>3</sup> /min
<b>AirFlowRateHighHeating</b>	441 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	293 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	307 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	367 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	385 ft <sup>3</sup> /min
<b>DimensionsUnitDepth</b>	24-7/16 in
<b>DimensionsUnitHeight</b>	1-13/16 in
<b>DimensionsUnitWidth</b>	24-7/16 in
<b>SoundPressureHighCooling</b>	40 dBA
<b>SoundPressureHighHeating</b>	40 dBA
<b>SoundPressureLowCooling</b>	31 dBA
<b>SoundPressureLowHeating</b>	31 dBA
<b>SoundPressureMediumCooling</b>	37 dBA
<b>SoundPressureMediumHeating</b>	37 dBA
<b>WeightUnit</b>	36 lb
<b>CondensateDrainOutlet</b>	1-1/32 in
<b>PipeSizeGas</b>	1/2 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RefrigerantType</b>	R-410A

Attribute	Value
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	27.00 in
Dimensions - (Case Height)	10.50 in
Dimensions - (Case Width)	23.75 in
Dimensions - (Distribution Unit Depth)	27 in
Dimensions - (Distribution Unit Height)	10.5 in
Dimensions - (Distribution Unit Width)	23.75 in
Dimensions - (Pallet Depth)	54.00 in
Dimensions - (Pallet Height)	57.50 in
Dimensions - (Pallet Width)	48.00 in
Dimensions - (Shipping Unit Depth)	27.00 in
Dimensions - (Shipping Unit Height)	10.50 in
Dimensions - (Shipping Unit Width)	23.75 in
Distribution Shipping Volume - (Unit)	6733.125 in <sup>3</sup>
Shipping Volume - (Unit)	6733.125 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	6733.125 in <sup>3</sup>
Volume - (Distribution Shipping Unit)	6733.125 in <sup>3</sup>
Weight - (Case)	40.000 lb
Weight - (Distribution Shipping Unit)	40 lb
Weight - (Shipping Unit)	40.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS

Attribute	Value
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Release Status</b>	Obsolete