

# FTK09BXVJU

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Mini-Split Fan Coils
<b>System Family</b>	Mini-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FTK_BXVJU
<b>Series Name</b>	Daikin OTERRA
<b>Short Description</b>	Daikin20Series Indoor Mini-Split Fan Coils, Single Zone
<b>Family Description</b>	3/4 - 2 Ton Wall Mounted Unit Cooling only
<b>Product Benefits</b>	Energy Saving;Uniform Airflow;Quiet operations;Clean air;Easy to clean;Drain Pipe can be attached on either side
<b>Product Features - (Standard)</b>	inverter;Power-airflow Flap;Wide Angle Louvers;Verticle Auto Swing;Auto Fan Speed;Quiet Operations;Programme Dry Function;Fan Only Mode;Sleep Mode;R/C with Backlight;Catechin Filter/Green Tea Filter;Titanium Apatite Air-Purifying Filter;Wipe Clean Flat Panel;Auto Restart (after Power Failure);Self Diagnosis;Either Side Drain (Right or Left)
<b>Installation Type</b>	Wall Mounted
<b>Communication Feature</b>	No
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	20
<b>Country of Origin</b>	Malaysia
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	Daikin OTERRA 3/4 Ton AC only mini split indoor unit

Attribute	Value
<b>Producer</b>	No
<b>ProductIDBarcode</b>	FTK09BXVJU
<b>CoolingOperationRangeStdMax</b>	114.8 °F
<b>CoolingOperationRangeStdMin</b>	50 °F
<b>RatedCoolingConditionAmbientDB</b>	95 °F
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>CurrentType</b>	AC
<b>IndoorFLA</b>	0.35 A
<b>InterConnectingWires</b>	L1, L2, L3, Ground
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208/230 V
<b>AirFlowRateHighCooling</b>	431 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	249 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	322 ft <sup>3</sup> /min
<b>AirFlowRateSuperHighCooling</b>	466 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowCooling</b>	142 ft <sup>3</sup> /min
<b>CompressorType</b>	Swing
<b>DimensionsUnitDepth</b>	9-27/32 in
<b>DimensionsUnitHeight</b>	11-1/3 in
<b>DimensionsUnitWidth</b>	30-29/32 in
<b>HeatExchangerType</b>	Air Cooled
<b>MoistureRemovalRate</b>	0.09
<b>SoundPressureHighCooling</b>	44 dBA
<b>SoundPressureLowCooling</b>	30 dBA

Attribute	Value
SoundPressureMediumCooling	37 dBA
SoundPressureSuperLowCooling	19 dBA
WeightUnit	20.3 lb
CoolingCapacityRated	8900 Btu/H
CoolingInputPower	2.61 kW
Tonnage	0.75
CondensateDrainOutlet	5/8 in
MaxPipeLengthTotal	66 ft
MaxPipeLengthVertical	49 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	32.75 in
Dimensions - (Case Height)	13.00 in
Dimensions - (Case Width)	14.25 in
Dimensions - (Distribution Unit Depth)	32.75 in
Dimensions - (Distribution Unit Height)	13 in
Dimensions - (Distribution Unit Width)	14.25 in
Dimensions - (Pallet Depth)	53.00 in

Attribute	Value
<b>Dimensions - (Pallet Height)</b>	70.00 in
<b>Dimensions - (Pallet Width)</b>	44.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	32.75 in
<b>Dimensions - (Shipping Unit Height)</b>	13.00 in
<b>Dimensions - (Shipping Unit Width)</b>	14.25 in
<b>Distribution Shipping Volume - (Unit)</b>	6066.9375 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	6066.937 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	6066.937 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	6066.9375 in <sup>3</sup>
<b>Weight - (Case)</b>	24.750 lb
<b>Weight - (Distribution Shipping Unit)</b>	24.75 lb
<b>Weight - (Shipping Unit)</b>	24.750 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Release Status</b>	Obsolete