

FTK18BXVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTK_BXVJU
Series Name	Daikin OTERRA
Short Description	Daikin20Series Indoor Mini-Split Fan Coils, Single Zone
Family Description	3/4 - 2 Ton Wall Mounted Unit Cooling only
Product Benefits	Energy Saving;Uniform Airflow;Quiet Operations;Clean air;Easy to Clean;Drain pipe can be attached to either side
Product Features - (Standard)	Inverter;Power Airflow Flap;Verticle Auto Swing;Auto Fan Speed;Quiet Operations;Programme Dry Function;Fan only Mode;Sleep Mode;R/C with Backlight;Catechin Filter/Green Tea Filter;Titanium Apatite Air-Purifying Filter;Wipe Clean Flat Panel;Auto Restart (after power failure);Self Diagnosis;Drain on either side (Right or Left)
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Malaysia
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin OTERRA 1.5 T AC only mini Split Indoor Unit

Attribute	Value
Producer	No
ProductIDBarcode	FTK18BXVJU
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
CurrentType	AC
InterConnectingWires	L1, L2, L3, Ground
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	716 ft ³ /min
AirFlowRateLowCooling	467 ft ³ /min
AirFlowRateMediumCooling	605 ft ³ /min
AirFlowRateSuperHighCooling	754 ft ³ /min
AirFlowRateSuperLowCooling	395 ft ³ /min
CompressorType	Swing
DimensionsUnitDepth	11-1/3 in
DimensionsUnitHeight	11-11/16 in
DimensionsUnitWidth	39-1/2 in
HeatExchangerType	Air Cooled
MoistureRemovalRate	0.41
SoundPressureHighCooling	49 dBA
SoundPressureLowCooling	38 dBA
SoundPressureMediumCooling	44 dBA

Attribute	Value
SoundPressureSuperLowCooling	33 dBA
WeightUnit	31 lb
CoolingCapacityMax	20000 Btu/H
CoolingCapacityMin	6900 Btu/H
CoolingCapacityRated	18000 Btu/H
CoolingInputPower	5.28 kW
Tonnage	1.5
CondensateDrainOutlet	5/8 in
MaxPipeLengthTotal	99 ft
MaxPipeLengthVertical	65 ft
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	42.50 in
Dimensions - (Case Height)	14.75 in
Dimensions - (Case Width)	14.75 in
Dimensions - (Distribution Unit Depth)	42.5 in
Dimensions - (Distribution Unit Height)	14.75 in
Dimensions - (Distribution Unit Width)	14.75 in
Dimensions - (Pallet Depth)	62.00 in

Attribute	Value
Dimensions - (Pallet Height)	49.25 in
Dimensions - (Pallet Width)	42.00 in
Dimensions - (Shipping Unit Depth)	42.50 in
Dimensions - (Shipping Unit Height)	14.75 in
Dimensions - (Shipping Unit Width)	14.75 in
Distribution Shipping Volume - (Unit)	9246.40625 in ³
Shipping Volume - (Unit)	9246.406 in ³
Truck Factor	0
Volume - (Case)	9246.406 in ³
Volume - (Distribution Shipping Unit)	9246.40625 in ³
Weight - (Case)	36.000 lb
Weight - (Distribution Shipping Unit)	36 lb
Weight - (Shipping Unit)	36.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Release Status	Obsolete