

# FTKF12BVJU9

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Mini-Split Fan Coils
<b>System Family</b>	Mini-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FTKF_BVJU9
<b>Series Name</b>	Daikin OTERRA
<b>Short Description</b>	Series Indoor Mini-Split Fan Coils
<b>Family Description</b>	R-32 3/4 - 2 Ton Wall mounted unit cooling only
<b>Product Benefits</b>	"R-32 Easy, Proven, Efficient, Available Inverter Technology Reduces Energy Cost Uniform Air Circualtion Optimal Comfort Quiet Operations Clean and Purified Indoor Air Easy to Clean Worry Free operation"
<b>Product Features - (Standard)</b>	Wi-Fi built in on OTERRA Indoor Unit;Inverter;Power airflow dual flaps;Wide angle Louvers;Verticle Auto Swing (up and Down);Auto Fan Speed;Quiet operation;Auto Defrosting;Automatic Operation;Programme Dry Function;Fan only Mode;Sleep mode;R/C with backlight &Signal; receiving sign;Catechin filter/Green Tea Filter;Titanium Apatite Air Purifying filter;wipe clean flat panel;Auto Restart (after power failure);Self Daignosis
<b>Installation Type</b>	Wall Mounted
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	8
<b>Country of Origin</b>	Mexico
<b>US HTS Code</b>	8415.90.8070

Attribute	Value
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	R-32 Daikin OTERRA 1 Ton AC only mini Split Indoor unit
ENERGYSTARCertified	Yes
Producer	No
ProductIDBarcode	FTKF12BVJU9
CoolingOperationRangeStdMax	118.4 °F
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	-4 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
CurrentType	AC
InterConnectingWires	L1,L2,L3 Ground
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	399 ft³/min
AirFlowRateLowCooling	219 ft³/min
AirFlowRateMediumCooling	282 ft³/min
AirFlowRateSuperLowCooling	117 ft³/min
DimensionsUnitDepth	8-3/4 in
DimensionsUnitHeight	11-1/4 in
DimensionsUnitWidth	30-5/8 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	46 dBA
SoundPressureLowCooling	31 dBA

Attribute	Value
SoundPressureMediumCooling	37 dBA
SoundPressureSuperLowCooling	19 dBA
WeightUnit	19 lb
CondensateDrainOutlet	5/8 in
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	33.50 in
Dimensions - (Case Height)	12.50 in
Dimensions - (Case Width)	15.00 in
Dimensions - (Distribution Unit Depth)	33.5 in
Dimensions - (Distribution Unit Height)	12.5 in
Dimensions - (Distribution Unit Width)	15 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	30.00 in
Dimensions - (Pallet Width)	45.00 in
Dimensions - (Shipping Unit Depth)	33.50 in
Dimensions - (Shipping Unit Height)	12.50 in
Dimensions - (Shipping Unit Width)	15.00 in
Distribution Shipping Volume - (Unit)	6281.25 in <sup>3</sup>
Shipping Volume - (Unit)	6281.250 in <sup>3</sup>
Truck Factor	0

Attribute	Value
<b>Volume - (Case)</b>	6281.250 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	6281.25 in <sup>3</sup>
<b>Weight - (Case)</b>	25.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	25 lb
<b>Weight - (Shipping Unit)</b>	25.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Mini-Split/Mini-Split Fan Coils
<b>Release Status</b>	Active