

FTX09NMVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Product Family	FTXN_MVJU
Series Name	FTX
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	0.75 - 2.0 Ton Wall Mounted Unit Heat Pump
Installation Type	Wall Mounted
Export Control Classification Number - (ECCN)	EAR99
Product Notes	KRP067A41 adaptor required for wired remote controller
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	20
Country of Origin	China
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	19 SEER Heat Pump Ductless IDU 3/4 Ton
Producer	No
ProductIDBarcode	FTX09NMVJU
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	115 °F

Attribute	Value
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
HeatingOperationRangewBaffleMax	75 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
IndoorFLA	0.2 A
InterConnectingWires	See Outdoor Unit for Electrical Specs
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	417 ft ³ /min
AirFlowRateHighHeating	403 ft ³ /min
AirFlowRateLowCooling	244 ft ³ /min
AirFlowRateLowHeating	251 ft ³ /min
AirFlowRateMediumCooling	297 ft ³ /min
AirFlowRateMediumHeating	328 ft ³ /min
AirFlowRateSuperLowCooling	141 ft ³ /min
AirFlowRateSuperLowHeating	215 ft ³ /min
DimensionsUnitDepth	8-3/4 in
DimensionsUnitHeight	11-1/4 in

Attribute	Value
DimensionsUnitWidth	30-5/16 in
HeatExchangerType	Air Cooled
MoistureRemovalRate	0.32
SoundPressureHighCooling	43 dBA
SoundPressureHighHeating	43 dBA
SoundPressureLowCooling	30 dBA
SoundPressureLowHeating	29 dBA
SoundPressureMediumCooling	36 dBA
SoundPressureMediumHeating	36 dBA
SoundPressureSuperLowCooling	19 dBA
SoundPressureSuperLowHeating	25 dBA
WeightUnit	18 lb
CoolingCapacityRated	9000 Btu/H
CoolingCapacitySensible	8170 Btu/H
HeatingCapacityRated	10900 Btu/H
Tonnage	0.75
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	33.00 in
Dimensions - (Case Height)	12.00 in
Dimensions - (Case Width)	13.25 in
Dimensions - (Distribution Unit Depth)	33 in

Attribute	Value
Dimensions - (Distribution Unit Height)	12 in
Dimensions - (Distribution Unit Width)	13.25 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	65.00 in
Dimensions - (Pallet Width)	44.00 in
Dimensions - (Shipping Unit Depth)	33.00 in
Dimensions - (Shipping Unit Height)	12.00 in
Dimensions - (Shipping Unit Width)	13.25 in
Distribution Shipping Volume - (Unit)	5247 in ³
Shipping Volume - (Unit)	5247.000 in ³
Truck Factor	0
Volume - (Case)	5247.000 in ³
Volume - (Distribution Shipping Unit)	5247 in ³
Weight - (Case)	43.000 lb
Weight - (Distribution Shipping Unit)	43 lb
Weight - (Shipping Unit)	43.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Fan Coils
Release Status	Obsolete