

# FTX09WMVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTX_WMVJU9
Series Name	Aurora
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	0.75 - 2.0 Ton Wall Mounted Unit Heat Pump
Product Benefits	12 Year Compressor and Parts Registered Residential Warranty;5 Year Commercial Warranty;Continuous Heating to -13F
Product Features - (Standard)	3-D airflow;Auto Fan Speed;Comfort Airflow Operation;Indoor Unit Quiet Operation;Included Hand Held Remote;Hot Start Function;Quick Warm Function;Auto Defrost;Dry Operation;Titanium Apatite Deodorizing Filter
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	20
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	3/4 Ton Wall Mounted Daikin AURORA Indoor Unit
Producer	No

Attribute	Value
<b>ProductIDBarcode</b>	FTX09WMVJU9
<b>CoolingOperationRangeStdMax</b>	115 °F
<b>CoolingOperationRangeStdMin</b>	50 °F
<b>HeatingOperationRangeStdMax</b>	60 °F
<b>HeatingOperationRangeStdMin</b>	-13 °F
<b>RatedCoolingConditionAmbientDB</b>	95 °F
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>RatedHeatingConditionAmbientDB</b>	47 °F
<b>RatedHeatingConditionAmbientWB</b>	43 °F
<b>RatedHeatingConditionRoomDB</b>	70 °F
<b>RatedHeatingConditionRoomWB</b>	60 °F
<b>IndoorFLA</b>	0.20 A
<b>InterConnectingWires</b>	L1, L2, L3, Ground
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208/230 V
<b>AirFlowRateHighCooling</b>	417 ft <sup>3</sup> /min
<b>AirFlowRateHighHeating</b>	403 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	244 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	251 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	297 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	328 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowCooling</b>	141 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowHeating</b>	215 ft <sup>3</sup> /min

Attribute	Value
DimensionsUnitDepth	8-3/4 in
DimensionsUnitHeight	11-1/4 in
DimensionsUnitWidth	30-5/16 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	43 dBA
SoundPressureHighHeating	43 dBA
SoundPressureLowCooling	30 dBA
SoundPressureLowHeating	29 dBA
SoundPressureMediumCooling	36 dBA
SoundPressureMediumHeating	36 dBA
SoundPressureSuperLowCooling	19 dBA
SoundPressureSuperLowHeating	25 dBA
WeightUnit	18 lb
CoolingCapacityRated	9000 Btu/H
HeatingCapacityRated	10900 Btu/H
Tonnage	0.75
MaxPipeLengthTotal	66 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	33.00 in
Dimensions - (Case Height)	12.00 in
Dimensions - (Case Width)	14.00 in

Attribute	Value
<b>Dimensions - (Distribution Unit Depth)</b>	33 in
<b>Dimensions - (Distribution Unit Height)</b>	12 in
<b>Dimensions - (Distribution Unit Width)</b>	14 in
<b>Dimensions - (Pallet Depth)</b>	53.00 in
<b>Dimensions - (Pallet Height)</b>	53.00 in
<b>Dimensions - (Pallet Width)</b>	44.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	33.00 in
<b>Dimensions - (Shipping Unit Height)</b>	12.00 in
<b>Dimensions - (Shipping Unit Width)</b>	14.00 in
<b>Distribution Shipping Volume - (Unit)</b>	5544 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	5544.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	5544.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	5544 in <sup>3</sup>
<b>Weight - (Case)</b>	23.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	23 lb
<b>Weight - (Shipping Unit)</b>	23.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS

Attribute	Value
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Mini-Split/Mini-Split Fan Coils
<b>Release Status</b>	Obsolete