

FTX30WVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTX_WVJU9
Series Name	Daikin Aurora 18/24 and NV
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	1.5T - 2.0 Ton Daikin Aurora and 2.5 - 3.0 Ton Wall Mounted Unit NV
Product Benefits	Daikin Swing Compressor;Intelligent Eye;3-DAirflow;Quiet Operation - ;5 Speed indoor fan
Product Features - (Standard)	12 Yr limited Parts and Compressor Warranty;Extreme Climate Cooling and Heating - up to 100% capacity at 5F Heating and 100% Capacity cooling at 105F
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin POLARA 2.5T Wall Mounted Type IDU
Producer	No
ProductIDBarcode	FTX30WVJU9

Attribute	Value
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	115 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
IndoorFLA	0.37 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	890 ft ³ /min
AirFlowRateHighHeating	960 ft ³ /min
AirFlowRateLowCooling	572 ft ³ /min
AirFlowRateLowHeating	629 ft ³ /min
AirFlowRateMediumCooling	727 ft ³ /min
AirFlowRateMediumHeating	791 ft ³ /min
AirFlowRateSuperLowCooling	512 ft ³ /min
AirFlowRateSuperLowHeating	544 ft ³ /min
DimensionsUnitDepth	10-3/16 in

Attribute	Value
DimensionsUnitHeight	13-3/8 in
DimensionsUnitWidth	47-1/4 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	53 dBA
SoundPressureHighHeating	53 dBA
SoundPressureLowCooling	40 dBA
SoundPressureLowHeating	38 dBA
SoundPressureMediumCooling	47 dBA
SoundPressureMediumHeating	46 dBA
SoundPressureSuperLowCooling	37 dBA
SoundPressureSuperLowHeating	35 dBA
WeightUnit	38 lb
CoolingCapacityRated	31400 Btu/H
HeatingCapacityRated	34800 Btu/H
Tonnage	2.5
PipeSizeGas	5/8 in
PipeSizeLiquid	1/4 in
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	51.25 in
Dimensions - (Case Height)	13.50 in
Dimensions - (Case Width)	17.00 in
Dimensions - (Distribution Unit Depth)	51.25 in
Dimensions - (Distribution Unit Height)	13.5 in
Dimensions - (Distribution Unit Width)	17 in

Attribute	Value
Dimensions - (Pallet Depth)	55.00 in
Dimensions - (Pallet Height)	58.50 in
Dimensions - (Pallet Width)	55.00 in
Dimensions - (Shipping Unit Depth)	51.25 in
Dimensions - (Shipping Unit Height)	13.50 in
Dimensions - (Shipping Unit Width)	17.00 in
Distribution Shipping Volume - (Unit)	11761.875 in ³
Shipping Volume - (Unit)	11761.875 in ³
Truck Factor	0
Volume - (Case)	11761.875 in ³
Volume - (Distribution Shipping Unit)	11761.875 in ³
Weight - (Case)	49.000 lb
Weight - (Distribution Shipping Unit)	49 lb
Weight - (Shipping Unit)	49.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 10 YEARS PARTS
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Fan Coils
Release Status	Obsolete