

# FTXC24AXVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXC_AXVJU
Series Name	Daikin ENTRA
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	R-32 -- 0.75 - 2.0 Ton Wall Mounted Unit Heat Pump
Product Benefits	10 year limited parts and compressor warranty with online registration
Product Features - (Standard)	Titanium apatite photocatalytic air purifying filter;Daikin Swing Compressor;Inverter Compressor
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Malaysia
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin Entra R-32 - 24K Indoor High Wall Unit
AHRIReferenceNumber	213895725
ENERGYSTARCertified	No

Attribute	Value
Producer	No
ProductIDBarcode	FTXC24AXVJU
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CurrentType	AC
FanMotorOutput	39
IndoorFLA	0.17 A
InterConnectingWires	L1, L2, L3, Ground
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	716 ft <sup>3</sup> /min
AirFlowRateHighHeating	716 ft <sup>3</sup> /min
AirFlowRateLowCooling	467 ft <sup>3</sup> /min
AirFlowRateLowHeating	467 ft <sup>3</sup> /min
AirFlowRateMediumCooling	605 ft <sup>3</sup> /min

Attribute	Value
AirFlowRateMediumHeating	605 ft <sup>3</sup> /min
AirFlowRateSuperHighCooling	754 ft <sup>3</sup> /min
AirFlowRateSuperHighHeating	754 ft <sup>3</sup> /min
AirFlowRateSuperLowCooling	395 ft <sup>3</sup> /min
AirFlowRateSuperLowHeating	395 ft <sup>3</sup> /min
DimensionsUnitDepth	11-1/3 in
DimensionsUnitHeight	11-11/16 in
DimensionsUnitWidth	39-9/16 in
HeatExchangerType	Air Cooled
MoistureRemovalRate	0.88
SoundPressureHighCooling	51 dBA
SoundPressureHighHeating	48 dBA
SoundPressureLowCooling	38 dBA
SoundPressureLowHeating	37 dBA
SoundPressureMediumCooling	44 dBA
SoundPressureMediumHeating	42 dBA
SoundPressureSuperLowCooling	34 dBA
SoundPressureSuperLowHeating	34 dBA
WeightUnit	30.5 lb
CoolingCapacityRated	22400 Btu/H
CoolingCapacitySensible	24000 Btu/H
CoolingInputPower	6.57 kW
HeatingCapacityRated	23000 Btu/H
HeatingInputPower	6.74 kW
Tonnage	2
CondensateDrainOutlet	5/8 in
MaxPipeLengthTotal	98.5 ft
PipeSizeGas	5/8 in

Attribute	Value
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	14.50 in
Dimensions - (Case Height)	14.50 in
Dimensions - (Case Width)	42.50 in
Dimensions - (Distribution Unit Depth)	14.5 in
Dimensions - (Distribution Unit Height)	14.5 in
Dimensions - (Distribution Unit Width)	42.5 in
Dimensions - (Pallet Depth)	62.00 in
Dimensions - (Pallet Height)	48.50 in
Dimensions - (Pallet Width)	42.00 in
Dimensions - (Shipping Unit Depth)	14.50 in
Dimensions - (Shipping Unit Height)	14.50 in
Dimensions - (Shipping Unit Width)	42.50 in
Distribution Shipping Volume - (Unit)	8935.625 in <sup>3</sup>
Shipping Volume - (Unit)	8935.625 in <sup>3</sup>
Truck Factor	0
Volume - (Case)	8935.625 in <sup>3</sup>

Attribute	Value
<b>Volume - (Distribution Shipping Unit)</b>	8935.625 in <sup>3</sup>
<b>Weight - (Case)</b>	36.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	36 lb
<b>Weight - (Shipping Unit)</b>	36.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Mini-Split/Mini-Split Fan Coils
<b>Release Status</b>	Active