

FTXM18WVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXM_WVJU9
Series Name	FTXM-RXM-V
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	0.75 - 2.0 Ton Wall Mount Heat Pump Indoor Unit
Product Benefits	12 year limited parts and compressor warranty
Product Features - (Standard)	Powerful Mode allows for quickly reaching desired room temp;3-D Airflow;Quiet Operation ;Hybrid Cooling;Weekly Timer function
Installation Type	Wall Mounted
Communication Feature	Yes
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin ATMOSPHERA 1.5-Ton, Heat Pump, Wall Mounted IDU
Producer	No
ProductIDBarcode	FTXM18WVJU9

Attribute	Value
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	-13 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
IndoorFLA	0.46 A
InterConnectingWires	See Outdoor Unit for Electrical Specs
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	777 ft ³ /min
AirFlowRateHighHeating	777 ft ³ /min
AirFlowRateLowCooling	484 ft ³ /min
AirFlowRateLowHeating	466 ft ³ /min
AirFlowRateMediumCooling	583 ft ³ /min
AirFlowRateMediumHeating	558 ft ³ /min
AirFlowRateSuperLowCooling	427 ft ³ /min
AirFlowRateSuperLowHeating	413 ft ³ /min
DimensionsUnitDepth	10-13/16 in

Attribute	Value
DimensionsUnitHeight	11-3/4 in
DimensionsUnitWidth	43-5/16 in
SoundPressureHighCooling	49 dBA
SoundPressureHighHeating	49 dBA
SoundPressureLowCooling	36 dBA
SoundPressureLowHeating	35 dBA
SoundPressureMediumCooling	41 dBA
SoundPressureMediumHeating	40 dBA
SoundPressureSuperLowCooling	33 dBA
SoundPressureSuperLowHeating	32 dBA
WeightUnit	33 lb
CoolingCapacityRated	18000 Btu/H
HeatingCapacityRated	21600 Btu/H
Tonnage	1.5
CondensateDrainOutlet	5/8 in
MaxPipeLengthTotal	98.5 ft
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	47.75 in
Dimensions - (Case Height)	15.50 in
Dimensions - (Case Width)	15.50 in
Dimensions - (Distribution Unit Depth)	47.75 in

Attribute	Value
Dimensions - (Distribution Unit Height)	15.5 in
Dimensions - (Distribution Unit Width)	15.5 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	67.00 in
Dimensions - (Pallet Width)	44.00 in
Dimensions - (Shipping Unit Depth)	47.75 in
Dimensions - (Shipping Unit Height)	15.50 in
Dimensions - (Shipping Unit Width)	15.50 in
Distribution Shipping Volume - (Unit)	11471.9375 in ³
Shipping Volume - (Unit)	11471.937 in ³
Truck Factor	0
Volume - (Case)	11471.937 in ³
Volume - (Distribution Shipping Unit)	11471.9375 in ³
Weight - (Case)	46.000 lb
Weight - (Distribution Shipping Unit)	46 lb
Weight - (Shipping Unit)	46.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Fan Coils
Release Status	Active