

FTXQ09ASBU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Fan Coils
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXQ_ASBU9
Series Name	Daikin Oterra 115V
Short Description	Series Indoor Mini-Split Fan Coils
Family Description	R-32- 0.75-1 Ton Wall mounted unit Heat Pump
Product Benefits	Comfortable airflow;comfort control;Reliable operation;Easy Maintenance;Ease of Installation
Product Features - (Standard)	Removable Drain Pan;Either Side Drain;Auto Swing with wide angle Louvers;Auto Fan Speed;Hot Start Function
Cabinet Features	Removable Drain Pan, Either side Dain, Auto Swing, Auto Fan speed.
Installation Type	Wall Mounted
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Mexico
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin Oterra 115V R-32 -- 9K Indoor High Wall Unit
ENERGYSTARCertified	No

Attribute	Value
Producer	No
ProductIDBarcode	FTXQ09ASBU9
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CurrentType	AC
IndoorFLA	0.36 A
InterConnectingWires	4
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	115 V
AirFlowRateHighCooling	424 ft ³ /min
AirFlowRateHighHeating	413 ft ³ /min
AirFlowRateLowCooling	261 ft ³ /min
AirFlowRateLowHeating	247 ft ³ /min
AirFlowRateMediumCooling	307 ft ³ /min
AirFlowRateMediumHeating	328 ft ³ /min

Attribute	Value
AirFlowRateSuperLowCooling	134 ft ³ /min
AirFlowRateSuperLowHeating	212 ft ³ /min
DimensionsUnitDepth	8-3/4 in
DimensionsUnitHeight	11-1/4 in
DimensionsUnitWidth	30-5/16 in
ETLListed	Yes
HeatExchangerType	Air Cooled
MaxOutdoorUnits	1
SoundPressureHighCooling	43 dBA
SoundPressureHighHeating	41 dBA
SoundPressureLowCooling	30 dBA
SoundPressureLowHeating	28 dBA
SoundPressureMediumCooling	35 dBA
SoundPressureMediumHeating	36 dBA
SoundPressureSuperLowCooling	21 dBA
SoundPressureSuperLowHeating	25 dBA
WeightUnit	18 lb
CoolingCapacityRated	9000 Btu/H
CoolingCapacitySensible	8140 Btu/H
CoolingInputPower	1.11 kW
HeatingCapacityRated	10900 Btu/H
HeatingInputPower	1.18 kW
Tonnage	0.75
CondensateDrainOutlet	5/8 in
MaxPipeLengthTotal	66 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	50 ft

Attribute	Value
RatedPipingLength	50 ft
RefrigerantPreChargedLineLength	50 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	33.50 in
Dimensions - (Case Height)	12.50 in
Dimensions - (Case Width)	14.50 in
Dimensions - (Distribution Unit Depth)	33.5 in
Dimensions - (Distribution Unit Height)	12.5 in
Dimensions - (Distribution Unit Width)	14.5 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	30.00 in
Dimensions - (Pallet Width)	45.00 in
Dimensions - (Shipping Unit Depth)	33.50 in
Dimensions - (Shipping Unit Height)	12.50 in
Dimensions - (Shipping Unit Width)	14.50 in
Distribution Shipping Volume - (Unit)	6071.875 in ³
Shipping Volume - (Unit)	6071.875 in ³
Truck Factor	0
Volume - (Case)	6071.875 in ³
Volume - (Distribution Shipping Unit)	6071.875 in ³
Weight - (Case)	26.000 lb

Attribute	Value
Weight - (Distribution Shipping Unit)	26 lb
Weight - (Shipping Unit)	26.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 10 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Fan Coils
Release Status	Active