

FTXR18TVJUS

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Multi-Split Fan Coil
System Family	Multi-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXR_TVJUS
Series Name	FTXR
Short Description	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
Family Description	0.75 - 1.5 Ton Inv Wallmounted Silver
Product Benefits	12 year limited parts and compressor warranty with online registration
Product Features - (Standard)	IR controller included;3-D airflow - Auto-swing (up, down and right, left);Intelligent eye occupancy sensor;Titanium apatite photo catalytic air purifying filter technology;Hot start technology;Auto-restart (after power failure);Weekly Timer (Up to 4 events per day);Comfort Airflow
Installation Type	Wall Mounted
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Czech Republic
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	Daikin EMURA 1.5 Ton Inv Wall mount Silver
Producer	No
ProductIDBarcode	FTXR18TVJUS

Attribute	Value
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
IndoorFLA	0.21 A
InterConnectingWires	See Outdoor Unit for Electrical Specs
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	350 ft ³ /min
AirFlowRateHighHeating	413 ft ³ /min
AirFlowRateLowCooling	226 ft ³ /min
AirFlowRateLowHeating	275 ft ³ /min
AirFlowRateMediumCooling	275 ft ³ /min
AirFlowRateMediumHeating	332 ft ³ /min
AirFlowRateSuperLowCooling	208 ft ³ /min
AirFlowRateSuperLowHeating	208 ft ³ /min
DimensionsUnitDepth	8-3/8 in
DimensionsUnitHeight	11-15/16 in
DimensionsUnitWidth	39-5/16 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	46 dBA

Attribute	Value
SoundPressureHighHeating	47 dBA
SoundPressureLowCooling	35 dBA
SoundPressureLowHeating	35 dBA
SoundPressureMediumCooling	40 dBA
SoundPressureMediumHeating	41 dBA
SoundPressureSuperLowCooling	30 dBA
SoundPressureSuperLowHeating	30 dBA
WeightUnit	27 lb
Tonnage	1.5
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	43.50 in
Dimensions - (Case Height)	13.00 in
Dimensions - (Case Width)	15.50 in
Dimensions - (Distribution Unit Depth)	43.5 in
Dimensions - (Distribution Unit Height)	13 in
Dimensions - (Distribution Unit Width)	15.5 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	57.00 in
Dimensions - (Pallet Width)	44.00 in

Attribute	Value
Dimensions - (Shipping Unit Depth)	43.50 in
Dimensions - (Shipping Unit Height)	13.00 in
Dimensions - (Shipping Unit Width)	15.50 in
Distribution Shipping Volume - (Unit)	8765.25 in ³
Shipping Volume - (Unit)	8765.250 in ³
Truck Factor	0
Volume - (Case)	8765.250 in ³
Volume - (Distribution Shipping Unit)	8765.25 in ³
Weight - (Case)	36.000 lb
Weight - (Distribution Shipping Unit)	36 lb
Weight - (Shipping Unit)	36.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Multi-Split/Multi-Split Fan Coil
Release Status	Obsolete