

# FTXS15WVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Multi-Split Fan Coil
System Family	Multi-Split
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXS_WVJU9
Series Name	FTXS
Short Description	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
Family Description	0.75 - 2.0 Ton Wall Mounted Unit
Product Benefits	Quiet operation
Product Features - (Standard)	12 Year limited Warranty for Parts and Compressor
Installation Type	Wall Mounted
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	12
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	1-1/4 Ton LV Wall Mount
Producer	No
ProductIDBarcode	FTXS15WVJU9
RatedCoolingConditionAmbientDB	95 °F

Attribute	Value
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>RatedHeatingConditionAmbientDB</b>	47 °F
<b>RatedHeatingConditionAmbientWB</b>	43 °F
<b>RatedHeatingConditionRoomDB</b>	70 °F
<b>RatedHeatingConditionRoomWB</b>	60 °F
<b>InterConnectingWires</b>	See Outdoor Unit for Electrical Specs
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208-230 V
<b>AirFlowRateHighCooling</b>	568 ft <sup>3</sup> /min
<b>AirFlowRateHighHeating</b>	593 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	385 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	417 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	477 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	505 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowCooling</b>	360 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowHeating</b>	371 ft <sup>3</sup> /min
<b>DimensionsUnitDepth</b>	9-3/4 in
<b>DimensionsUnitHeight</b>	13-3/8 in
<b>DimensionsUnitWidth</b>	41-5/16 in
<b>HeatExchangerType</b>	Air Cooled
<b>SoundPressureHighCooling</b>	45 dBA
<b>SoundPressureHighHeating</b>	43 dBA
<b>SoundPressureLowCooling</b>	35 dBA
<b>SoundPressureLowHeating</b>	33 dBA

Attribute	Value
<b>SoundPressureMediumCooling</b>	40 dBA
<b>SoundPressureMediumHeating</b>	38 dBA
<b>SoundPressureSuperLowCooling</b>	32 dBA
<b>SoundPressureSuperLowHeating</b>	30 dBA
<b>WeightUnit</b>	31 lb
<b>Tonnage</b>	1.25
<b>PipeSizeGas</b>	1/2 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RatedHeightDifference</b>	0 ft
<b>RatedPipingLength</b>	25 ft
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	45.50 in
<b>Dimensions - (Case Height)</b>	13.50 in
<b>Dimensions - (Case Width)</b>	16.50 in
<b>Dimensions - (Distribution Unit Depth)</b>	45.5 in
<b>Dimensions - (Distribution Unit Height)</b>	13.5 in
<b>Dimensions - (Distribution Unit Width)</b>	16.5 in
<b>Dimensions - (Pallet Depth)</b>	53.00 in
<b>Dimensions - (Pallet Height)</b>	59.00 in
<b>Dimensions - (Pallet Width)</b>	44.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	45.50 in
<b>Dimensions - (Shipping Unit Height)</b>	13.50 in

Attribute	Value
<b>Dimensions - (Shipping Unit Width)</b>	16.50 in
<b>Distribution Shipping Volume - (Unit)</b>	10135.125 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	10135.125 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	10135.125 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	10135.125 in <sup>3</sup>
<b>Weight - (Case)</b>	43.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	43 lb
<b>Weight - (Shipping Unit)</b>	43.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Multi-Split/Multi-Split Fan Coil
<b>Release Status</b>	Obsolete