

# FTXV12AVJU9

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Multi-Split Fan Coil
<b>System Family</b>	Multi-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FTXV_AVJU9
<b>Series Name</b>	Multi-Split Fan Coil Indoor
<b>Short Description</b>	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
<b>Family Description</b>	R-32 0.75 - 2.0 Ton Wall Mounted Unit
<b>Product Benefits</b>	Quiet operation ;Low ambient cooling operation down to -4°F (-20°C) with field setting and air adjustment grille;Operating Range - Cooling (50°F - 114.8°F);Operating Range - Heating (-13°F - 64.4°F);12 year limited parts and compressor warranty with online registration;5 year limited parts warranty for commercial applications;Factory Installed Wi-Fi module - Simple App Set up
<b>Product Features - (Standard)</b>	12 Year limited Warranty for Parts and Compressor;Sound pressure as low as 19 dB(A);Washable Dry Filter;Powerful Operation mode;Auto fan speed control;Quick warming function
<b>Installation Type</b>	Wall Mounted
<b>Communication Feature</b>	Yes
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	8
<b>Country of Origin</b>	Mexico
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	1 Ton Wall Mount R-32

Attribute	Value
Producer	No
ProductIDBarcode	FTXV12AVJU9
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
InterConnectingWires	L1, L2, L3, G
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	392 ft <sup>3</sup> /min
AirFlowRateHighHeating	438 ft <sup>3</sup> /min
AirFlowRateLowCooling	226 ft <sup>3</sup> /min
AirFlowRateLowHeating	240 ft <sup>3</sup> /min
AirFlowRateMediumCooling	293 ft <sup>3</sup> /min
AirFlowRateMediumHeating	318 ft <sup>3</sup> /min
AirFlowRateSuperLowCooling	166 ft <sup>3</sup> /min
AirFlowRateSuperLowHeating	205 ft <sup>3</sup> /min
DimensionsUnitDepth	8-3/4 in
DimensionsUnitHeight	11-1/4 in
DimensionsUnitWidth	30-5/16 in
HeatExchangerType	Air Cooled

Attribute	Value
SoundPressureHighCooling	45 dBA
SoundPressureHighHeating	45 dBA
SoundPressureLowCooling	31 dBA
SoundPressureLowHeating	30 dBA
SoundPressureMediumCooling	37 dBA
SoundPressureMediumHeating	37 dBA
SoundPressureSuperLowCooling	19 dBA
SoundPressureSuperLowHeating	26 dBA
WeightUnit	19 lb
Tonnage	1
CondensateDrainOutlet	5/8 in
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	33.00 in
Dimensions - (Case Height)	12.50 in
Dimensions - (Case Width)	14.50 in
Dimensions - (Distribution Unit Depth)	33 in
Dimensions - (Distribution Unit Height)	12.5 in
Dimensions - (Distribution Unit Width)	14.5 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	30.00 in
Dimensions - (Pallet Width)	45.00 in

Attribute	Value
<b>Dimensions - (Shipping Unit Depth)</b>	33.00 in
<b>Dimensions - (Shipping Unit Height)</b>	12.50 in
<b>Dimensions - (Shipping Unit Width)</b>	14.50 in
<b>Distribution Shipping Volume - (Unit)</b>	5981.25 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	5981.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	5981.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	5981.25 in <sup>3</sup>
<b>Weight - (Case)</b>	25.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	25 lb
<b>Weight - (Shipping Unit)</b>	25.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Multi-Split/Multi-Split Fan Coil
<b>Release Status</b>	Active