

FTXV24AVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Multi-Split Fan Coil
System Family	Multi-Split
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	FTXV_AVJU9
Series Name	Multi-Split Fan Coil Indoor
Short Description	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
Family Description	R-32 0.75 - 2.0 Ton Wall Mounted Unit
Product Benefits	Quiet operation ;Low ambient cooling operation down to -4°F (-20°C) with field setting and air adjustment grille;Operating Range - Cooling (50°F - 114.8°F);Operating Range - Heating (-13°F - 64.4°F);12 year limited parts and compressor warranty with online registration;5 year limited parts warranty for commercial applications;Factory Installed Wi-Fi module - Simple App Set up
Product Features - (Standard)	12 Year limited Warranty for Parts and Compressor;Sound pressure as low as 19 dB(A);Washable Dry Filter;Powerful Operation mode;Auto fan speed control;Quick warming function
Installation Type	Wall Mounted
Communication Feature	Yes
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Mexico
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	2.0 Ton Wall Mount - R-32

Attribute	Value
Producer	No
ProductIDBarcode	FTXV24AVJU9
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
InterConnectingWires	L1, L2, L3, G
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	629 ft ³ /min
AirFlowRateHighHeating	717 ft ³ /min
AirFlowRateLowCooling	378 ft ³ /min
AirFlowRateLowHeating	466 ft ³ /min
AirFlowRateMediumCooling	501 ft ³ /min
AirFlowRateMediumHeating	572 ft ³ /min
AirFlowRateSuperLowCooling	335 ft ³ /min
AirFlowRateSuperLowHeating	413 ft ³ /min
DimensionsUnitDepth	10-3/8 in
DimensionsUnitHeight	11-5/8 in
DimensionsUnitWidth	39 in
HeatExchangerType	Air Cooled

Attribute	Value
SoundPressureHighCooling	52 dBA
SoundPressureHighHeating	49 dBA
SoundPressureLowCooling	39 dBA
SoundPressureLowHeating	38 dBA
SoundPressureMediumCooling	45 dBA
SoundPressureMediumHeating	43 dBA
SoundPressureSuperLowCooling	34 dBA
SoundPressureSuperLowHeating	34 dBA
WeightUnit	27 lb
CondensateDrainOutlet	5/8 in
PipeSizeGas	5/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	15.00 in
Dimensions - (Case Height)	15.00 in
Dimensions - (Case Width)	43.50 in
Dimensions - (Distribution Unit Depth)	15 in
Dimensions - (Distribution Unit Height)	15 in
Dimensions - (Distribution Unit Width)	43.5 in
Dimensions - (Pallet Depth)	60.00 in
Dimensions - (Pallet Height)	35.00 in
Dimensions - (Pallet Width)	48.00 in

Attribute	Value
Dimensions - (Shipping Unit Depth)	15.00 in
Dimensions - (Shipping Unit Height)	15.00 in
Dimensions - (Shipping Unit Width)	43.50 in
Distribution Shipping Volume - (Unit)	9787.5 in ³
Shipping Volume - (Unit)	9787.500 in ³
Truck Factor	0
Volume - (Case)	9787.500 in ³
Volume - (Distribution Shipping Unit)	9787.5 in ³
Weight - (Case)	37.000 lb
Weight - (Distribution Shipping Unit)	37 lb
Weight - (Shipping Unit)	37.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Multi-Split/Multi-Split Fan Coil
Release Status	Active