

# FVXS15WVJU9

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Multi-Split Fan Coil
<b>System Family</b>	Multi-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Indoor
<b>Market Type</b>	Residential-Single Family
<b>Product Family</b>	FVXS_WVJU9
<b>Series Name</b>	FVXS
<b>Short Description</b>	Multi-Split Fan Coil Indoor Indoor Multi-Split Fan Coil
<b>Family Description</b>	0.75 - 1.5 Ton Floor Standing Unit
<b>Product Benefits</b>	12 limited warranty for Part and Compressor;Titanium Apatite deodorizing filter;Wipe-clean cabinet;5 step switchable fan speeds
<b>Product Features - (Standard)</b>	Stylish Cabinet can be resessed into wall;Dual direction for Airflow - Top for Cooling and Bottom for Heating;Quiet indoor operation;Hot Start during heating to eliminate cold air cirulation;Powerful operation to help reach set point quickly on startup;Econo operation to optimize comfort wth energy savings
<b>Installation Type</b>	Floor Standing
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	12
<b>Country of Origin</b>	Japan
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	1-1/4 Ton Floor Mount
<b>Producer</b>	No
<b>ProductIDBarCode</b>	FVXS15WVJU9

Attribute	Value
<b>RatedCoolingConditionAmbientDB</b>	95 °F
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>RatedHeatingConditionAmbientDB</b>	47 °F
<b>RatedHeatingConditionAmbientWB</b>	43 °F
<b>RatedHeatingConditionRoomDB</b>	70 °F
<b>RatedHeatingConditionRoomWB</b>	60 °F
<b>InterConnectingWires</b>	See Outdoor Unit for Electrical Specs
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208-230 V
<b>AirFlowRateHighCooling</b>	378 ft <sup>3</sup> /min
<b>AirFlowRateHighHeating</b>	417 ft <sup>3</sup> /min
<b>AirFlowRateLowCooling</b>	275 ft <sup>3</sup> /min
<b>AirFlowRateLowHeating</b>	300 ft <sup>3</sup> /min
<b>AirFlowRateMediumCooling</b>	325 ft <sup>3</sup> /min
<b>AirFlowRateMediumHeating</b>	357 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowCooling</b>	233 ft <sup>3</sup> /min
<b>AirFlowRateSuperLowHeating</b>	251 ft <sup>3</sup> /min
<b>DimensionsUnitDepth</b>	8-1/4 in
<b>DimensionsUnitHeight</b>	23-5/8 in
<b>DimensionsUnitWidth</b>	27-9/16 in
<b>HeatExchangerType</b>	Air Cooled
<b>SoundPressureHighCooling</b>	44 dBA
<b>SoundPressureHighHeating</b>	45 dBA

Attribute	Value
SoundPressureLowCooling	36 dBA
SoundPressureLowHeating	36 dBA
SoundPressureMediumCooling	40 dBA
SoundPressureMediumHeating	40 dBA
SoundPressureSuperLowCooling	32 dBA
SoundPressureSuperLowHeating	32 dBA
WeightUnit	31 lb
Tonnage	1.25
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	31.00 in
Dimensions - (Case Height)	27.00 in
Dimensions - (Case Width)	11.00 in
Dimensions - (Distribution Unit Depth)	31 in
Dimensions - (Distribution Unit Height)	27 in
Dimensions - (Distribution Unit Width)	11 in
Dimensions - (Pallet Depth)	70.00 in
Dimensions - (Pallet Height)	59.00 in
Dimensions - (Pallet Width)	36.00 in
Dimensions - (Shipping Unit Depth)	31.00 in

Attribute	Value
<b>Dimensions - (Shipping Unit Height)</b>	27.00 in
<b>Dimensions - (Shipping Unit Width)</b>	11.00 in
<b>Distribution Shipping Volume - (Unit)</b>	9207 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	9207.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	9207.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	9207 in <sup>3</sup>
<b>Weight - (Case)</b>	38.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	38 lb
<b>Weight - (Shipping Unit)</b>	38.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Multi-Split/Multi-Split Fan Coil
<b>Release Status</b>	Obsolete