

# MBVB16CP1X00

Attribute	Value
Brand	Corporate
ProductCategory	Unitary
ProductClassPIM	Air Handler
System Family	Unitary Split System
Function Category	Air Handler
Product Type	Equipment
Unit Type	Indoor
Market Type	Residential-Single Family
Product Family	MBVB
Series Name	Modular Blower
Short Description	Modular Blower Air Handler, Variable Speed Motor, 1.33 Ton
Product Features - (Standard)	1. Variable-speed ECM blower motor;2. Integrated communicating ComfortBridge™ technology;3. Commissioning and diagnostics via on board Bluetooth with the CoolCloud phone and tablet application. ;4. Advanced configuration of the airflow and tonnage in communicating mode;5. Provides constant CFM over a wide range of static pressure conditions independent of duct system;6. CFM indicator;7. Provides adjustable low CFM for efficient fan-only operation;8. Improved humidity and comfort control;9. Built-in compatibility with multi-stage heat pump and cooling applications;10. 3 kW – 21 kW electric heat kits;11. Blower section usable as electric heater;12. AHRI certified;13. ETL listed;14. Compatible with both R410A and R32 (use integration kit)
Cabinet Features	1. Horizontal or vertical configuration capabilities;2. 21" depth for easier attic access;3. Foil-faced insulation covers the internal casing to reduce cabinet condensation;4. Galvanized, leather grain-embossed finish;5. Cabinet air leakage less than 2% at 1.0 inch H2O when tested in accordance with ASHRE standard 193;6. Cabinet air leakage less than 1.4% at 0.5 inch H2O when tested in accordance with ASHRE standard 193
Communication Feature	Yes
Communication Feature Type	ComfortBridge Technology compatible
Export Control Classification Number - (ECCN)	EAR99
Universal Product Code (UPC)	663051692909
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8

Attribute	Value
Country of Origin	Mexico
US HTS Code	8414.59.6560
Canadian HTS Code	8414.59.00.99
Long Description	Modular Blower Air Handler, Variable Speed Motor, Ton, 21 in Cabinet with Expansion, ComfortBridge Technology compatible
ProductDescriptionPIM	Modular Blower
InstallationConfiguration	Upflow/Horizontal
Producer	No
ProductIDBarcode	MBVB16CP1X00
IndoorFLA	5.2 A
MaxOvercurrentProtection	15/15 A
MaxVoltage	253 V
MinVoltage	197 V
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/240 V
DimensionsBlowerDiameter	10 in
DimensionsBlowerWidth	8 in
DimensionsUnitDepth	21 in
DimensionsUnitHeight	30 in
DimensionsUnitWidth	21 in
MotorSpeedType	Variable Speed
BlowerMotorHorsePower	0.75 metric hp
Tonnage	1.33
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	26.00 in
Dimensions - (Case Height)	32.75 in

Attribute	Value
<b>Dimensions - (Case Width)</b>	23.50 in
<b>Dimensions - (Distribution Unit Depth)</b>	25.5 in
<b>Dimensions - (Distribution Unit Height)</b>	32.75 in
<b>Dimensions - (Distribution Unit Width)</b>	24.5 in
<b>Dimensions - (Pallet Depth)</b>	54.00 in
<b>Dimensions - (Pallet Height)</b>	70.00 in
<b>Dimensions - (Pallet Width)</b>	50.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	26.00 in
<b>Dimensions - (Shipping Unit Height)</b>	32.75 in
<b>Dimensions - (Shipping Unit Width)</b>	23.50 in
<b>Distribution Shipping Volume - (Unit)</b>	20460.5625 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	20010.250 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	20010.250 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	20460.5625 in <sup>3</sup>
<b>Weight - (Case)</b>	72.090 lb
<b>Weight - (Distribution Shipping Unit)</b>	72.09 lb
<b>Weight - (Shipping Unit)</b>	72.090 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS

Attribute	Value
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS