

RK09BXVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Air Conditioner
System Family	Mini-Split
Function Category	Cooling Only
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RK_BXVJU
Series Name	Daikin OTERRA
Short Description	Daikin Daikin OTERRA Series Outdoor Mini-Split Air Conditioner, Single Zone
Family Description	0.75- 2.0 Ton Single Split Air Conditioner 20 SEER2/ upto 12.5 EER2
Product Benefits	Energy Savings;Long lasting heat exchanger;Whisper quiet with specially designed airflow pattern;Effective cooling throughout the space;Control via a user-friendly remote control;12 year warranty;Energy Efficient;Discreet wall mount
Product Features - (Standard)	Inverter Powerful Operation;Anti Corrosion Treatment of Heat Exchanger;Wide Angle Louvers;Vertical Auto Swing (up and Down);Auto Fan Speed;Indoor Unit Quiet Operations;Energy Saving Function;Sleep mode;Indoor unit ON/OFF button;R/C with Backlight;Catechin Filter/Green Tea Filter;Titanium Apatite Air Purifying Filter;Auto restart (after power failure);Extended operation to -4F with facility setting and wind baffles
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Malaysia
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	0.75-Ton, Cooling only, Ductless ODU Daikin OTERRA
Producer	No

Attribute	Value
ProductIDBarcode	RK09BXVJU
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	50 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
CurrentType	AC
FanMotorOutput	22
FuseSize	15 A
InterConnectingWires	L1, L2, L3, Ground
MaxOvercurrentProtection	15 A
MinCircuitAmps	12.35 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
AirFlowRateHighCooling	1083 ft ³ /min
CompressorStages	Inverter
CompressorType	Swing
DimensionsUnitDepth	11-3/16 in
DimensionsUnitHeight	21-11/16 in
DimensionsUnitWidth	26-1/2 in
ExpansionDevice	EEV
HeatExchangerType	Air Cooled
MoistureRemovalRate	0.09
SoundPressureHighCooling	46 dBA
WeightUnit	53 lb

Attribute	Value
CoolingCapacityMax	10200 Btu/H
CoolingCapacityMin	4400 Btu/H
CoolingCapacityRated	8900 Btu/H
CoolingInputPower	2.61 kW
Tonnage	0.75
AdditionalRefrigerantCharge	0.21 lb
FactoryStdRefrigerantCharge	1.54 lb
MaxPipeLengthTotal	65 ft
MaxPipeLengthVertical	49 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	31.50 in
Dimensions - (Case Height)	24.00 in
Dimensions - (Case Width)	15.00 in
Dimensions - (Distribution Unit Depth)	31.5 in
Dimensions - (Distribution Unit Height)	24 in
Dimensions - (Distribution Unit Width)	15 in
Dimensions - (Pallet Depth)	62.00 in

Attribute	Value
Dimensions - (Pallet Height)	53.00 in
Dimensions - (Pallet Width)	32.00 in
Dimensions - (Shipping Unit Depth)	31.50 in
Dimensions - (Shipping Unit Height)	24.00 in
Dimensions - (Shipping Unit Width)	15.00 in
Distribution Shipping Volume - (Unit)	11340 in ³
Shipping Volume - (Unit)	11340.000 in ³
Truck Factor	0
Volume - (Case)	11340.000 in ³
Volume - (Distribution Shipping Unit)	11340 in ³
Weight - (Case)	60.000 lb
Weight - (Distribution Shipping Unit)	60 lb
Weight - (Shipping Unit)	60.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Release Status	Obsolete