

## RK30WMVJU9

Attribute	Value
<b>Brand</b>	Daikin
<b>ProductCategory</b>	Ductless Mini-Splits
<b>ProductClassPIM</b>	Mini-Split Air Conditioner
<b>System Family</b>	Mini-Split
<b>Function Category</b>	Cooling Only
<b>Product Type</b>	Equipment
<b>Unit Type</b>	Outdoor
<b>Product Family</b>	RK_WMVJU9
<b>Short Description</b>	Series Outdoor Mini-Split Air Conditioner, Single Zone
<b>Family Description</b>	0.75 - 2.0 Ton Single Split Air Conditioner Up to 19 SEER / 12.5 EER
<b>Communication Feature</b>	No
<b>Export Control Classification Number - (ECCN)</b>	EAR99
<b>Item Stocking Unit of Measure (UOM)</b>	EA
<b>Pallet Qty</b>	6
<b>Country of Origin</b>	Thailand
<b>US HTS Code</b>	8415.90.8070
<b>Canadian HTS Code</b>	8415.90.90.00
<b>ProductDescriptionPIM</b>	Daikin POLARA - 2.5-Ton, Cooling Only, Ductless ODU
<b>Producer</b>	No
<b>ProductIDBarcode</b>	RK30WMVJU9
<b>CoolingOperationRangeStdMax</b>	115 °F
<b>CoolingOperationRangeStdMin</b>	50 °F
<b>CoolingOperationRangewBaffleMax</b>	115 °F
<b>CoolingOperationRangewBaffleMin</b>	-22 °F

Attribute	Value
<b>RatedCoolingConditionAmbientDB</b>	95 °F
<b>RatedCoolingConditionAmbientWB</b>	75 °F
<b>RatedCoolingConditionRoomDB</b>	80 °F
<b>RatedCoolingConditionRoomWB</b>	67 °F
<b>CompressorRLA</b>	16.3 A
<b>FanMotorOutput</b>	122
<b>FuseSize</b>	20 A
<b>MaxOvercurrentProtection</b>	20 A
<b>MinCircuitAmps</b>	16.6 A
<b>OutdoorFLA</b>	0.77 A
<b>PowerFrequency</b>	60 Hz
<b>PowerPhase</b>	1 Ph
<b>PowerVoltage</b>	208/230 V
<b>RatedLoadAmps</b>	16.3 A
<b>AirFlowRateHighCooling</b>	2528 ft <sup>3</sup> /min
<b>CompressorStages</b>	Inverter
<b>CompressorType</b>	Swing
<b>DimensionsUnitDepth</b>	12-5/8 in
<b>DimensionsUnitHeight</b>	28-15/16 in
<b>DimensionsUnitWidth</b>	34-1/4 in
<b>ExpansionDevice</b>	EEV
<b>HeatExchangerType</b>	Air Cooled
<b>SoundPressureHighCooling</b>	56 dBA
<b>WeightUnit</b>	132 lb
<b>CoolingCapacityMax</b>	31400 Btu/H
<b>CoolingCapacityMin</b>	10200 Btu/H
<b>CoolingCapacityRated</b>	31400 Btu/H

Attribute	Value
<b>Tonnage</b>	2.5
<b>AdditionalRefrigerantCharge</b>	0.32 lb
<b>FactoryStdRefrigerantCharge</b>	3.64 lb
<b>MaxPipeLengthTotal</b>	98.5 ft
<b>MaxPipeLengthVertical</b>	66 ft
<b>PipeSizeGas</b>	5/8 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RatedHeightDifference</b>	0 ft
<b>RatedPipingLength</b>	25 ft
<b>RefrigerantOil</b>	PVE (FVC50K)
<b>RefrigerantPreChargedLineLength</b>	33 ft
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	41.50 in
<b>Dimensions - (Case Height)</b>	31.25 in
<b>Dimensions - (Case Width)</b>	18.00 in
<b>Dimensions - (Distribution Unit Depth)</b>	41.5 in
<b>Dimensions - (Distribution Unit Height)</b>	31.25 in
<b>Dimensions - (Distribution Unit Width)</b>	18 in
<b>Dimensions - (Pallet Depth)</b>	53.00 in
<b>Dimensions - (Pallet Height)</b>	67.50 in
<b>Dimensions - (Pallet Width)</b>	44.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	41.50 in

Attribute	Value
<b>Dimensions - (Shipping Unit Height)</b>	31.25 in
<b>Dimensions - (Shipping Unit Width)</b>	18.00 in
<b>Distribution Shipping Volume - (Unit)</b>	23343.75 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	23343.750 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	23343.750 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	23343.75 in <sup>3</sup>
<b>Weight - (Case)</b>	142.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	142 lb
<b>Weight - (Shipping Unit)</b>	142.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 10 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 10 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Mini-Split/Mini-Split Air Conditioner
<b>Release Status</b>	Obsolete