

RMXS48LVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Multi-Split Heat Pump
System Family	Multi-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Product Family	RMXS_LVJU
Series Name	RMXS
Short Description	Multi Split Heat Pump Outdoor Series Outdoor Multi-Split Heat Pump
Family Description	4.0 Ton 8-Port Heat Pump
Product Benefits	12 year limited parts and compressor warranty with online registration;5 Year limited parts warranty for commercial applications
Product Features - (Standard)	Connect from 2 up to 8 indoor units from a single outdoor unit;Long piping lengths, up to 440 ft;Use with ductless wall mount, cassette or slim duct indoor units;Quiet operation
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	3
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
ProductDescriptionPIM	8 Zone Multi Heat Pump
COP47NonDucted	4.5
EERDucted	9.3
HSPFDucted	9.6
HSPFNonDucted	11.3

Attribute	Value
SEERDucted	14.1
SEERNonDucted	18.8
Producer	No
ProductIDBarCode	RMSX48LVJU
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	14 °F
HeatingOperationRangeStdMax	60 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
FuseSize	30 A
InterConnectingWires	L1, L2, L3, Ground
MaxOvercurrentProtection	30 A
MinCircuitAmps	27 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	3740 ft³/min
CompressorStages	Inverter
DimensionsUnitDepth	12-5/8 in

Attribute	Value
DimensionsUnitHeight	52-15/16 in
DimensionsUnitWidth	35-7/16 in
HeatExchangerType	Air Cooled
MaxIndoorUnits	8
SoundPower	57 dBA
SoundPressureHighCooling	58 dBA
WeightUnit	283 lb
CapacityControlRangeMax	100
CapacityControlRangeMin	29
CapacityIndexLimitMax	62
CapacityIndexLimitMin	24
CoolingCapacityMax	48000 Btu/H
CoolingCapacityMin	14000 Btu/H
CoolingCapacityRated	48000 Btu/H
CoolingInputPower	4.73 kW
HeatingCapacityRated	54000 Btu/H
HeatingInputPower	4.26 kW
Tonnage	4
FactoryStdRefrigerantCharge	8.8 oz
MaxIndoorToIndoorPiping	98 ft
MaxPipeLengthTotal	442 ft
MaxPipeLengthVertical	98 ft
PipeSizeGas	3/4 in
PipeSizeLiquid	3/8 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantPreChargedLineLength	0 ft
RefrigerantType	R-410A

Attribute	Value
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	36.50 in
Dimensions - (Case Height)	57.50 in
Dimensions - (Case Width)	15.00 in
Dimensions - (Distribution Unit Depth)	36.5 in
Dimensions - (Distribution Unit Height)	57.5 in
Dimensions - (Distribution Unit Width)	15 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	62.50 in
Dimensions - (Pallet Width)	40.00 in
Dimensions - (Shipping Unit Depth)	36.50 in
Dimensions - (Shipping Unit Height)	57.50 in
Dimensions - (Shipping Unit Width)	15.00 in
Distribution Shipping Volume - (Unit)	31481.25 in ³
Shipping Volume - (Unit)	31481.250 in ³
Truck Factor	0
Volume - (Case)	31481.250 in ³
Volume - (Distribution Shipping Unit)	31481.25 in ³
Weight - (Case)	288.000 lb
Weight - (Distribution Shipping Unit)	288 lb
Weight - (Shipping Unit)	288.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Multi-Split/Multi-Split Heat Pump
Release Status	Obsolete