

# RX12WMVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RX_WMVJU9
Series Name	RX_WMVJU9
Short Description	Daikin RX_WMVJU9 Outdoor Mini-Split Heat Pump, Single Zone
Family Description	0.75 - 2.0 Ton Single Split Heat Pump Up to 19.8 SEER2 / 9.4 HSPF2 / 12 EER2
Product Benefits	12 year limited parts warranty with online registration
Product Features - (Standard)	Operating Range - Cooling (50° - 114.8°)
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	Up to 19.5 SEER2, Heat Pump, Ductless ODU, 1 Ton
Producer	No
ProductIDBarcode	RX12WMVJU9
CoolingOperationRangeStdMax	114.8 °F

Attribute	Value
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	114.8 °F
CoolingOperationRangewBaffleMin	-4 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CompressorRLA	7.5 A
FanMotorOutput	20
FuseSize	15 A
InterConnectingWires	1, 2, 3, Ground
MaxOvercurrentProtection	15 A
MinCircuitAmps	7.7 A
OutdoorFLA	0.17 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
RatedLoadAmps	7.5 A
AirFlowRateHighCooling	1105 ft <sup>3</sup> /min

Attribute	Value
<b>AirFlowRateHighHeating</b>	1144 ft <sup>3</sup> /min
<b>CompressorStages</b>	Inverter
<b>CompressorType</b>	Inverter
<b>DimensionsUnitDepth</b>	11-3/16 in
<b>DimensionsUnitHeight</b>	21-5/8 in
<b>DimensionsUnitWidth</b>	26-9/16 in
<b>HeatExchangerType</b>	Air Cooled
<b>SoundPressureHighCooling</b>	49 dBA
<b>WeightUnit</b>	63 lb
<b>FactoryStdRefrigerantCharge</b>	2.09 lb
<b>MaxPipeLengthTotal</b>	66 ft
<b>MaxPipeLengthVertical</b>	49 ft
<b>PipeSizeGas</b>	3/8 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RatedHeightDifference</b>	0 ft
<b>RatedPipingLength</b>	25 ft
<b>RefrigerantOil</b>	PVE (FVC50K)
<b>RefrigerantPreChargedLineLength</b>	33 ft
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	31.00 in
<b>Dimensions - (Case Height)</b>	24.00 in
<b>Dimensions - (Case Width)</b>	14.00 in
<b>Dimensions - (Distribution Unit Depth)</b>	31 in
<b>Dimensions - (Distribution Unit Height)</b>	24 in

Attribute	Value
<b>Dimensions - (Distribution Unit Width)</b>	14 in
<b>Dimensions - (Pallet Depth)</b>	62.00 in
<b>Dimensions - (Pallet Height)</b>	53.00 in
<b>Dimensions - (Pallet Width)</b>	32.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	31.00 in
<b>Dimensions - (Shipping Unit Height)</b>	24.00 in
<b>Dimensions - (Shipping Unit Width)</b>	14.00 in
<b>Distribution Shipping Volume - (Unit)</b>	10416 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	10416.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	10416.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	10416 in <sup>3</sup>
<b>Weight - (Case)</b>	68.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	68 lb
<b>Weight - (Shipping Unit)</b>	68.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS
<b>Ecomm Path Display</b>	Equipment/Mini-Split/Mini-Split Heat Pump

Attribute	Value
Release Status	Obsolete