

RX15WMVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RX_WMVJU9
Series Name	RX_WMVJU9
Short Description	Daikin RX_WMVJU9 Outdoor Mini-Split Heat Pump, Single Zone
Family Description	0.75 - 2.0 Ton Single Split Heat Pump Up to 19.8 SEER2 / 9.4 HSPF2 / 12 EER2
Product Benefits	12 year limited parts warranty with online registration
Product Features - (Standard)	Operating Range - Cooling (50° - 114.8°)
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	Up to 19.6 SEER2, Heat Pump, Ductless ODU, 1.25 Ton
Producer	No
ProductIDBarcode	RX15WMVJU9
CoolingOperationRangeStdMax	114.8 °F

Attribute	Value
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	114.8 °F
CoolingOperationRangewBaffleMin	-4 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CompressorRLA	8.0 A
FuseSize	15 A
InterConnectingWires	1, 2, 3, Ground
MaxOvercurrentProtection	15 A
MinCircuitAmps	8.6 A
OutdoorFLA	0.47 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V
RatedLoadAmps	8.0 A
AirFlowRateHighCooling	2313 ft ³ /min
AirFlowRateHighHeating	2108 ft ³ /min

Attribute	Value
CompressorStages	Inverter
CompressorType	Inverter
DimensionsUnitDepth	12-5/8 in
DimensionsUnitHeight	28-15/16 in
DimensionsUnitWidth	34-1/4 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	50 dBA
SoundPressureHighHeating	51 dBA
WeightUnit	100 lb
AdditionalRefrigerantCharge	0.21 lb
FactoryStdRefrigerantCharge	2.49 lb
MaxPipeLengthTotal	98.5 ft
MaxPipeLengthVertical	66 ft
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	41.50 in
Dimensions - (Case Height)	31.50 in
Dimensions - (Case Width)	18.25 in
Dimensions - (Distribution Unit Depth)	41.5 in

Attribute	Value
Dimensions - (Distribution Unit Height)	31.5 in
Dimensions - (Distribution Unit Width)	18.25 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	68.00 in
Dimensions - (Pallet Width)	44.00 in
Dimensions - (Shipping Unit Depth)	41.50 in
Dimensions - (Shipping Unit Height)	31.50 in
Dimensions - (Shipping Unit Width)	18.25 in
Distribution Shipping Volume - (Unit)	23857.3125 in ³
Shipping Volume - (Unit)	23857.312 in ³
Truck Factor	0
Volume - (Case)	23857.312 in ³
Volume - (Distribution Shipping Unit)	23857.3125 in ³
Weight - (Case)	110.000 lb
Weight - (Distribution Shipping Unit)	110 lb
Weight - (Shipping Unit)	110.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Obsolete