

RXL09WMVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RXL_WMVJU9
Series Name	AURORA
Short Description	Series Outdoor Mini-Split Heat Pump, Single Zone
Family Description	0.75 - 2.0 Ton Single Split Heat Pump Up to 19.8 SEER2 / 10 HSPF2 / 12 EER2
Product Benefits	12 Year Registered Residential Warranty;5 Year Commercial Warranty;Cooling 50-115F;Heating -13-60F
Product Features - (Standard)	Swing Inverter Compressor;Extended Operating Range and Capacity;Automatic Defrost
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	8
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	19.5 SEER2, Heat Pump, Ductless ODU, 3/4 Ton, Daikin AURORA
Producer	No
ProductIDBarcode	RXL09WMVJU9
CoolingOperationRangeStdMax	115 °F

Attribute	Value
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	60 °F
HeatingOperationRangeStdMin	-13 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CompressorRLA	8.5 A
FuseSize	15 A
InterConnectingWires	L1, L2, L3, Ground
MaxOvercurrentProtection	15 A
MinCircuitAmps	8.7 A
OutdoorFLA	0.19 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208/230 V 254/277 V
RatedLoadAmps	8.5 A
AirFlowRateHighCooling	1105 ft ³ /min
AirFlowRateHighHeating	922 ft ³ /min
CompressorStages	Inverter
CompressorType	Swing
DimensionsUnitDepth	11-3/16 in

Attribute	Value
DimensionsUnitHeight	21-5/8 in
DimensionsUnitWidth	26-9/16 in
HeatExchangerType	Air Cooled
SoundPressureHighCooling	49 dBA
SoundPressureHighHeating	49 dBA
WeightUnit	63 lb
CoolingCapacityMax	10900 Btu/H
CoolingCapacityMin	4400 Btu/H
CoolingCapacityRated	9000 Btu/H
HeatingCapacityRated	10900 Btu/H
Tonnage	0.75
AdditionalRefrigerantCharge	0.21 lb
FactoryStdRefrigerantCharge	2.09 lb
MaxPipeLengthTotal	66 ft
MaxPipeLengthVertical	49 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	33 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	31.00 in
Dimensions - (Case Height)	24.00 in
Dimensions - (Case Width)	14.00 in

Attribute	Value
Dimensions - (Distribution Unit Depth)	31 in
Dimensions - (Distribution Unit Height)	24 in
Dimensions - (Distribution Unit Width)	14 in
Dimensions - (Pallet Depth)	62.00 in
Dimensions - (Pallet Height)	53.00 in
Dimensions - (Pallet Width)	32.00 in
Dimensions - (Shipping Unit Depth)	31.00 in
Dimensions - (Shipping Unit Height)	24.00 in
Dimensions - (Shipping Unit Width)	14.00 in
Distribution Shipping Volume - (Unit)	10416 in ³
Shipping Volume - (Unit)	10416.000 in ³
Truck Factor	0
Volume - (Case)	10416.000 in ³
Volume - (Distribution Shipping Unit)	10416 in ³
Weight - (Case)	68.000 lb
Weight - (Distribution Shipping Unit)	68 lb
Weight - (Shipping Unit)	68.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Obsolete