

RXM09WVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RXM_WVJU9
Series Name	FTXM-RXM-V
Short Description	Series Outdoor Mini-Split Heat Pump, Single Zone
Family Description	0.75 - 2.0 Ton Heat Pump Outdoor Unit
Product Benefits	12 year limited parts and compressor warranty
Product Features - (Standard)	Inverter Technology delivers precise temperature control and superior energy efficiency
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	Daikin ATMOSPHERA 0.75-Ton, Heat Pump, Ductless ODU
Producer	No
ProductIDBarcode	RXM09WVJU9

Attribute	Value
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	-13 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CompressorRLA	0
CurrentType	AC
FanMotorOutput	37
FuseSize	15 A
InterConnectingWires	L1, L2, L3 Ground
MaxOvercurrentProtection	15 A
MinCircuitAmps	12.3 A
OutdoorFLA	0.31 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
RatedLoadAmps	0
AirFlowRateHighCooling	1317 ft ³ /min
AirFlowRateHighHeating	1296 ft ³ /min

Attribute	Value
AirFlowRateLowCooling	1183 ft ³ /min
AirFlowRateLowHeating	922 ft ³ /min
CompressorStages	Inverter
CompressorType	Swing
DimensionsUnitDepth	11-13/16 in
DimensionsUnitHeight	23-7/16 in
DimensionsUnitWidth	33-1/4 in
ExpansionDevice	EEV
HeatExchangerType	Air Cooled
MaxIndoorUnits	1
SoundPressureHighCooling	47 dBA
SoundPressureHighHeating	49 dBA
WeightUnit	96 lb
CoolingCapacityMax	12500 Btu/H
CoolingCapacityMin	4400 Btu/H
CoolingCapacityRated	9000 Btu/H
HeatingCapacityMax	19500 Btu/H
HeatingCapacityMin	4400 Btu/H
HeatingCapacityRated	11000 Btu/H
Tonnage	0.75
AdditionalRefrigerantCharge	0.22 lb
CondensateDrainOutlet	5/8 in
FactoryStdRefrigerantCharge	2.16 oz
MaxPipeLengthTotal	82 ft
MaxPipeLengthVertical	65.625 ft
PipeSizeGas	3/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft

Attribute	Value
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	49.2 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	39.25 in
Dimensions - (Case Height)	26.00 in
Dimensions - (Case Width)	16.00 in
Dimensions - (Distribution Unit Depth)	39.25 in
Dimensions - (Distribution Unit Height)	26 in
Dimensions - (Distribution Unit Width)	16 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	57.00 in
Dimensions - (Pallet Width)	40.00 in
Dimensions - (Shipping Unit Depth)	39.25 in
Dimensions - (Shipping Unit Height)	26.00 in
Dimensions - (Shipping Unit Width)	16.00 in
Distribution Shipping Volume - (Unit)	16328 in ³
Shipping Volume - (Unit)	16328.000 in ³
Truck Factor	0
Volume - (Case)	16328.000 in ³
Volume - (Distribution Shipping Unit)	16328 in ³

Attribute	Value
Weight - (Case)	103.000 lb
Weight - (Distribution Shipping Unit)	103 lb
Weight - (Shipping Unit)	103.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Active