

RXM18WVJU9

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Market Type	Residential-Single Family
Product Family	RXM_WVJU9
Series Name	FTXM-RXM-V
Short Description	Series Outdoor Mini-Split Heat Pump, Single Zone
Family Description	0.75 - 2.0 Ton Heat Pump Outdoor Unit
Product Benefits	12 year limited parts and compressor warranty
Product Features - (Standard)	Inverter Technology delivers precise temperature control and superior energy efficiency
Communication Feature	No
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	Daikin ATMOSPHERA 1.5-Ton, Heat Pump, Ductless ODU
Producer	No
ProductIDBarcode	RXM18WVJU9

Attribute	Value
CoolingOperationRangeStdMax	114.8 °F
CoolingOperationRangeStdMin	50 °F
HeatingOperationRangeStdMax	64.4 °F
HeatingOperationRangeStdMin	-13 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
CompressorRLA	18.25 A
CurrentType	AC
FanMotorOutput	123
FuseSize	20 A
InterConnectingWires	L1, L2, L3 Ground
MaxOvercurrentProtection	20 A
MinCircuitAmps	18.8 A
OutdoorFLA	0.58 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
RatedLoadAmps	18.25 A
AirFlowRateHighCooling	2119 ft ³ /min
AirFlowRateHighHeating	2062 ft ³ /min

Attribute	Value
AirFlowRateLowCooling	1833 ft ³ /min
AirFlowRateLowHeating	1773 ft ³ /min
CompressorStages	Inverter
CompressorType	Swing
DimensionsUnitDepth	12-5/8 in
DimensionsUnitHeight	28-15/16 in
DimensionsUnitWidth	34-1/4 in
ExpansionDevice	EEV
HeatExchangerType	Air Cooled
MaxIndoorUnits	1
SoundPressureHighCooling	54 dBA
SoundPressureHighHeating	55 dBA
WeightUnit	132 lb
CoolingCapacityMax	22000 Btu/H
CoolingCapacityMin	9000 Btu/H
CoolingCapacityRated	18000 Btu/H
HeatingCapacityMax	30200 Btu/H
HeatingCapacityMin	9000 Btu/H
HeatingCapacityRated	21600 Btu/H
Tonnage	1.5
AdditionalRefrigerantCharge	0.22 lb
CondensateDrainOutlet	5/8 in
FactoryStdRefrigerantCharge	2.98 oz
MaxPipeLengthTotal	98.5 ft
MaxPipeLengthVertical	82 ft
PipeSizeGas	1/2 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft

Attribute	Value
RatedPipingLength	25 ft
RefrigerantOil	PVE (FVC50K)
RefrigerantPreChargedLineLength	49.2 ft
RefrigerantType	R-32
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	41.50 in
Dimensions - (Case Height)	31.50 in
Dimensions - (Case Width)	18.25 in
Dimensions - (Distribution Unit Depth)	41.5 in
Dimensions - (Distribution Unit Height)	31.5 in
Dimensions - (Distribution Unit Width)	18.25 in
Dimensions - (Pallet Depth)	53.00 in
Dimensions - (Pallet Height)	68.00 in
Dimensions - (Pallet Width)	44.00 in
Dimensions - (Shipping Unit Depth)	41.50 in
Dimensions - (Shipping Unit Height)	31.50 in
Dimensions - (Shipping Unit Width)	18.25 in
Distribution Shipping Volume - (Unit)	23857.3125 in ³
Shipping Volume - (Unit)	23857.312 in ³
Truck Factor	0
Volume - (Case)	23857.312 in ³
Volume - (Distribution Shipping Unit)	23857.3125 in ³

Attribute	Value
Weight - (Case)	143.000 lb
Weight - (Distribution Shipping Unit)	143 lb
Weight - (Shipping Unit)	143.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Active