

# RXS15LVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Product Family	RXS_LVJU
Series Name	LV
Short Description	Series Outdoor Mini-Split Heat Pump, Single Zone
Model Efficiency	20 SEER
Family Description	1.0 - 2.0 Ton Single Split Heat Pump Up to 24.5 SEER / 12.5 HSPF
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	20.6 SEER, Heat Pump, Ductless ODU, 1-1/4 Ton
Producer	No
ProductIDBarcode	RXS15LVJU
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	115 °F

Attribute	Value
CoolingOperationRangewBaffleMin	0 °F
HeatingOperationRangeStdMax	65 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
FuseSize	20 A
InterConnectingWires	L1, L2, Ground
MaxOvercurrentProtection	20 A
MinCircuitAmps	13.8 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	1713 ft <sup>3</sup> /min
DimensionsUnitDepth	11-13/16 in
DimensionsUnitHeight	28-15/16 in
DimensionsUnitWidth	32-1/2 in
HeatExchangerType	Air Cooled
MoistureRemovalRate	0.8
SoundPower	61 dBA
SoundPressureHighCooling	47 dBA

Attribute	Value
<b>SoundPressureHighHeating</b>	48 dBA
<b>WeightUnit</b>	104 lb
<b>CoolingCapacityMax</b>	15000 Btu/H
<b>CoolingCapacityMin</b>	5800 Btu/H
<b>CoolingCapacityRated</b>	15000 Btu/H
<b>CoolingInputPower</b>	1.04 kW
<b>HeatingCapacityRated</b>	18000 Btu/H
<b>HeatingInputPower</b>	1.32 kW
<b>Tonnage</b>	1.25
<b>AdditionalRefrigerantCharge</b>	0.21 lb
<b>FactoryStdRefrigerantCharge</b>	3.97 oz
<b>MaxIndoorToIndoorPiping</b>	65.6 ft
<b>MaxPipeLengthTotal</b>	98.4 ft
<b>MaxPipeLengthVertical</b>	65.6 ft
<b>PipeSizeGas</b>	1/2 in
<b>PipeSizeLiquid</b>	1/4 in
<b>RatedHeightDifference</b>	0 ft
<b>RatedPipingLength</b>	25 ft
<b>RefrigerantPreChargedLineLength</b>	32.8 ft
<b>RefrigerantType</b>	R-410A
<b>Proposition 65 Label</b>	Yes
<b>Carton Type</b>	CTN
<b>Case Qty</b>	1
<b>Dimensions - (Case Depth)</b>	38.00 in
<b>Dimensions - (Case Height)</b>	31.00 in
<b>Dimensions - (Case Width)</b>	15.00 in
<b>Dimensions - (Distribution Unit Depth)</b>	38 in

Attribute	Value
<b>Dimensions - (Distribution Unit Height)</b>	31 in
<b>Dimensions - (Distribution Unit Width)</b>	15 in
<b>Dimensions - (Pallet Depth)</b>	48.00 in
<b>Dimensions - (Pallet Height)</b>	66.00 in
<b>Dimensions - (Pallet Width)</b>	40.00 in
<b>Dimensions - (Shipping Unit Depth)</b>	38.00 in
<b>Dimensions - (Shipping Unit Height)</b>	31.00 in
<b>Dimensions - (Shipping Unit Width)</b>	15.00 in
<b>Distribution Shipping Volume - (Unit)</b>	17670 in <sup>3</sup>
<b>Shipping Volume - (Unit)</b>	17670.000 in <sup>3</sup>
<b>Truck Factor</b>	0
<b>Volume - (Case)</b>	17670.000 in <sup>3</sup>
<b>Volume - (Distribution Shipping Unit)</b>	17670 in <sup>3</sup>
<b>Weight - (Case)</b>	112.000 lb
<b>Weight - (Distribution Shipping Unit)</b>	112 lb
<b>Weight - (Shipping Unit)</b>	112.000 lb
<b>Registered Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Registered Parts Warranty - Multi-Family</b>	ALL PARTS - 12 YEARS PARTS
<b>Registered Parts Warranty - Residential</b>	ALL PARTS - 12 YEARS PARTS
<b>Standard Parts Warranty - Commercial</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Multi-Family</b>	ALL PARTS - 5 YEARS PARTS
<b>Standard Parts Warranty - Residential</b>	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Obsolete