

RXS24LVJU

Attribute	Value
Brand	Daikin
ProductCategory	Ductless Mini-Splits
ProductClassPIM	Mini-Split Heat Pump
System Family	Mini-Split
Function Category	Heat Pump
Product Type	Equipment
Unit Type	Outdoor
Product Family	RXS_LVJU
Series Name	LV
Short Description	Series Outdoor Mini-Split Heat Pump, Single Zone
Model Efficiency	20 SEER
Family Description	1.0 - 2.0 Ton Single Split Heat Pump Up to 24.5 SEER / 12.5 HSPF
Export Control Classification Number - (ECCN)	EAR99
Item Stocking Unit of Measure (UOM)	EA
Pallet Qty	6
Country of Origin	Thailand
US HTS Code	8415.90.8070
Canadian HTS Code	8415.90.90.00
Long Description	Outdoor Mini-Split Heat Pump, & HSPF, Single Zone,
ProductDescriptionPIM	20 SEER, Heat Pump, Ductless ODU, 2 Ton
Producer	No
ProductIDBarcode	RXS24LVJU
CoolingOperationRangeStdMax	115 °F
CoolingOperationRangeStdMin	50 °F
CoolingOperationRangewBaffleMax	115 °F

Attribute	Value
CoolingOperationRangewBaffleMin	0 °F
HeatingOperationRangeStdMax	65 °F
HeatingOperationRangeStdMin	5 °F
RatedCoolingConditionAmbientDB	95 °F
RatedCoolingConditionAmbientWB	75 °F
RatedCoolingConditionRoomDB	80 °F
RatedCoolingConditionRoomWB	67 °F
RatedHeatingConditionAmbientDB	47 °F
RatedHeatingConditionAmbientWB	43 °F
RatedHeatingConditionRoomDB	70 °F
RatedHeatingConditionRoomWB	60 °F
FuseSize	20 A
InterConnectingWires	L1, L2, Ground
MaxOvercurrentProtection	20 A
MinCircuitAmps	17.5 A
PowerFrequency	60 Hz
PowerPhase	1 Ph
PowerVoltage	208-230 V
AirFlowRateHighCooling	1924 ft ³ /min
DimensionsUnitDepth	12-5/8 in
DimensionsUnitHeight	30-5/16 in
DimensionsUnitWidth	35-7/16 in
HeatExchangerType	Air Cooled
MoistureRemovalRate	1.2
SoundPower	66 dBA
SoundPressureHighCooling	52 dBA

Attribute	Value
SoundPressureHighHeating	52 dBA
WeightUnit	159 lb
CoolingCapacityMax	21500 Btu/H
CoolingCapacityMin	7800 Btu/H
CoolingCapacityRated	21500 Btu/H
CoolingInputPower	1.72 kW
HeatingCapacityRated	25400 Btu/H
HeatingInputPower	2.21 kW
Tonnage	2
AdditionalRefrigerantCharge	0.21 lb
FactoryStdRefrigerantCharge	5.7 oz
MaxIndoorToIndoorPiping	65.6 ft
MaxPipeLengthTotal	98.4 ft
MaxPipeLengthVertical	65.6 ft
PipeSizeGas	5/8 in
PipeSizeLiquid	1/4 in
RatedHeightDifference	0 ft
RatedPipingLength	25 ft
RefrigerantPreChargedLineLength	32.8 ft
RefrigerantType	R-410A
Proposition 65 Label	Yes
Carton Type	CTN
Case Qty	1
Dimensions - (Case Depth)	36.50 in
Dimensions - (Case Height)	35.00 in
Dimensions - (Case Width)	14.50 in
Dimensions - (Distribution Unit Depth)	36.5 in

Attribute	Value
Dimensions - (Distribution Unit Height)	35 in
Dimensions - (Distribution Unit Width)	14.5 in
Dimensions - (Pallet Depth)	48.00 in
Dimensions - (Pallet Height)	74.00 in
Dimensions - (Pallet Width)	40.00 in
Dimensions - (Shipping Unit Depth)	36.50 in
Dimensions - (Shipping Unit Height)	35.00 in
Dimensions - (Shipping Unit Width)	14.50 in
Distribution Shipping Volume - (Unit)	18523.75 in ³
Shipping Volume - (Unit)	18523.750 in ³
Truck Factor	0
Volume - (Case)	18523.750 in ³
Volume - (Distribution Shipping Unit)	18523.75 in ³
Weight - (Case)	174.000 lb
Weight - (Distribution Shipping Unit)	174 lb
Weight - (Shipping Unit)	174.000 lb
Registered Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Registered Parts Warranty - Multi-Family	ALL PARTS - 12 YEARS PARTS
Registered Parts Warranty - Residential	ALL PARTS - 12 YEARS PARTS
Standard Parts Warranty - Commercial	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Multi-Family	ALL PARTS - 5 YEARS PARTS
Standard Parts Warranty - Residential	ALL PARTS - 5 YEARS PARTS

Attribute	Value
Ecomm Path Display	Equipment/Mini-Split/Mini-Split Heat Pump
Release Status	Obsolete