



30 X 60 HIGH RISE DRAIN PAN, 5 PACK

Item#: 6-HK3060

The Asurity® 6-HK3060 High Rise Drain Pan Kit 30 in x 60 in 5 pack allows placement of air handler above the pan lip without the need for separate, cumbersome mounting blocks. With a molded-in network of risers to give a 5in. lift, positioned to accept a wide variety of air handler sizes. Includes a CC-1 float switch, 6 EVA™ anti-vibration pads, and 1 3/4 in PVC male adapter.

Product Features & Benefits ▲

- 5 inch riser gives additional height needed to assure proper drain line pitch
- Complete kit for easier installation including a CC-1 Safety Overflow Switch, Six EVA™ Pads and 3/4in. PVC male adapter
- EVA™ pads increase available drain line pitch, minimize sound and vibration
- Durable, lightweight pan is 80% thicker than a standard drain pan

- Heat and cold resistant, meets structural and temperature requirements for attic installations
- Heavy-duty reinforced construction for long term performance

Specifications ▲

| | |
|-----------------------------|-----------------------------------------------------------------------------------------------|
| Includes | Anti-Vibration Pads (6) CC-1 Float Switch 3/4 in. PVC Male Adapter |
| Product Type | High Rise |
| Application | A/C |
| Nestable | Yes |
| Product Length | 30 in. |
| Product Width | 60 in. |
| Drain Plug Outlet Locations | Long Side |
| No. of Outlets | 1 |
| Ducted or Ductless | Ducted |
| Color Code | N/A |

Order Info ▲

| | |
|-------------------------|----------------------|
| UPC | 0095247128976 |
| Primary UoM | Each |
| Primary Depth (inches) | 61.25 |
| Primary Width (inches) | 31.25 |
| Primary Height (inches) | 6 |
| Primary Weight (lbs) | 11.72 |
| Quick Ship Flag | No |
| Order Multiple | 5 |

Documents ▲



Technical Data Sheet