



# CLEAR PVC PRIMER, 16 FL OZ

Item#: **PPC-16**

Pro-Prime™ PPC-16 is a clear primer that removes dirt and oil from the surface of Type I and II PVC piping. Softens the piping to prepare for solvent welding. Pro-Prime™ Clear primer meets ASTM Standard F-656.

## Product Features & Benefits

- Regular clear PVC cement
- All cans contain brush top applicator
- Colorless, transparent

## Specifications

Color	Clear
Application	<b>Potable Water Systems</b> <b>DWV (Drain, Waste, Vent) Systems</b> <b>Sewer</b> <b>Conduit</b> <b>Irrigation</b> <b>Pool/Spa</b>
Container Size	16 oz.
Low VOC	Yes
Ducted or Ductless	Ducted
Suitable For	<b>Schedule 40 PVC Pipe and Fittings</b> <b>Schedule 80 PVC and Fittings</b> <b>CPVC Pipe and Fittings</b>
Application Set Time	N/A
Formula	<b>Medium Body</b> <b>Wet Conditions</b>
Max Fitting Diameter (In.)	All Diameters
Recommended Store and Use Temp.	-15°F to 110°F

**Order Info** ▲

UPC	0095247130160
Primary UoM	Each
Primary Depth (inches)	3.25
Primary Width (inches)	3.25
Primary Height (inches)	4.5
Primary Weight (lbs)	1.2
Quick Ship Flag	No

Order Multiple

24

## Documents



Safety Data Sheet